


VISION

AV installation products



Lifetime
warranty

Smart, Reliable, Technical.



Vision

Smart design in the smallest detail of our products.

Smart installation. Installers only have two hands so we make sure you don't have to be an octopus to install our products.

Smart



Mount Finder

Enter part of the flat panel part number and get a short list of your mount options.



Cable Finder

Narrow down which cable you need in 30 seconds.



Techconnect configurator

Need help figuring out which parts you need to make up a faceplate? No problem.

Reliable



Reliable vendor

We won't ignore your e-mails when you need help. We are very reactive.



Reliable stock levels

We try really hard to always have what you need in stock, and we measure our success; 95% of the time we have what you order.



Reliable product

Lifetime warranty. We benchmark our reliability against other manufacturers so we are not just guessing, we know our products are extremely reliable.

Technical



Technical staff

They know the products, and know the challenges installers face.



Technical product


Our product development team are always pushing technical limits to offer integrators products that simplify solutions.



Easy installation through design

Our products are designed by AV engineers and are adaptable onsite.

Vision Master Warehouse Locations



“

We obsess over the detail, so if you spot a way we can make a product better please let us know.


This will go to a real person and you'll get an immediate reply.

”

Stuart Lockhart, Managing Director



Lifetime
warranty



Over 300,000 meeting rooms around the world use Vision's extremely reliable products.




Vision has benchmarked itself against some of the world's largest electronics manufacturers and has a world-class reliability record.

We made RELIABLE a key word because we are passionate about making our products even more reliable.



If you have feedback that could help make our products better, we want to hear it!

vav.link/lifetime-warranty



Faceplates

- > Faceplate Packages
- > Modules
- > Cables
- > Mounting Hardware
- > Table Faceplate
- > Control Module
- > 50w Amplifier



Techconnect faceplate configurator

Select the products and parts you need to see a visual representation of your end product.

vav.link/fc



Lifetime warranty

Wall-Mount Faceplate Package

Part of the Techconnect 3 system

Techconnect is a modular audio-visual faceplate family engineered especially for AV installers. A "surround" fits to a backbox (or "mudring" if your wall is hollow), then the modules fix in place to complete the installation. For 99% of professional AV installations the same set of modules are required, so Vision offer a simple package that contains a basic selection of modules as a starting point. Just select the length of the cable package you need to go with it.

TC3-PK EU SAP: 3446594
US SAP: 12939494

Module Package Contents

Mounting Hardware:

1 x 2-Gang UK Backbox TC3 BACKBOX2G [SAP:3446598]

1 x 2-Gang Surround TC3 SURR2G [SAP:3446603]

Modules:


1 x VGA with MiniJack TC3 VGAF3.5MM [SAP:3446585]

1 x USB (B-type on front) TC3 USBB [SAP:3446581]

1 x HDMI TC3 HDMI [SAP:3446573]

3 x Blanks TC3 BLANK [SAP:3446572]

Comes with your choice of complementary Cable Lengths



vav.link/tc3-pk



Matt White

Pure white with a chiselled profile, Techconnect3 also has 11 mm of flat space above and below the connectors for information or company branding stickers.



Screw-In Modules

The modules have a tab that hooks into the surround at the bottom, then a couple of turns of the pre-installed screws locks the modules into place.



Stronger

Techconnect3 has shorter modules and extra ribbing to reduce module flex. On parts where flex is desirable to avoid shattering ABS plastic is used.



Improved Fit and Finish

Techconnect3 has more space behind the modules stash cables, and narrower and more even gaps between modules.



TC3 50w Amplifier

TC3-AMP / SAP: 3446595

Extremely small 2 x 25 w (RMS) at 8 ohms
Digital Amp
2 x Stereo inputs (Input 1 duplicated on front and rear)
IR Remote control included

vav.link/tc3-amp



TC3 50w Amplifier with Speakers

TC3-AMP+ / SAP: 8468232

Extremely small 2 x 25 w (RMS) at 8 ohms
Digital Amp
2 x Stereo inputs (Input 1 duplicated on front and rear)
IR Remote control included
Pair of 5.25" loudspeakers included

vav.link/tc3-amplus



TC3 Control Module

TC3-CTL/2 / SAP: 7754754

Controls multiple AV devices simultaneously with IR, RS-232, and 12V
Scheduled commands for signage applications
Powered by mains power
Backlit buttons with variable colour

vav.link/tc3-ctl-2



TC3 Minijack Module (phoenix on rear)

TC3 3.5MM/V2 / SAP: 5354529

Occupies 1 module space
Ideal for use with stereo audio cable
Phoenix connector at rear
Pass-through on rear
Input on front disconnects rear input

vav.link/tc3_3-5mm-v2




TC3 Blank Module

TC3 BLANK / SAP: 3446572

Simple blank modules for blanking off unused slots in the surround
Occupies 1 module space

vav.link/tc3_blank



TC3 Brush Module

TC3 BRUSH / SAP: 4726966

Simple double-width module with hole for pulling cables out
Brushes over 42 x 22 mm (1.65" x 0.87") cable aperture
Occupies 2 module spaces

vav.link/tc3_brush



TC3 HDMI Module

TC3 HDMI / SAP: 3446573

HDMI module v2.1 (8K @ 60 Hz)
Includes short cable at rear with female HDMI connector
Carries digital audio and video over one cable
Occupies 1 module space

vav.link/tc3_hdmi




TC3 HDMI+ Module

TC3 HDMI+ / SAP: 7345515

HDMI module v2.1 (8K @ 60 Hz)
Includes short cable at rear with female HDMI connector
Booster inline
Thicker copper to solve problem installations

vav.link/tc3_hdmiplus



TC3 USB-A to USB-B Module

TC3 USBA / SAP: 3446580

"B" type socket on the rear as found on a printer chassis

"A" type socket on front as found on a laptop chassis

Occupies 1 module space

USB 3.0 (backward compatible with 2.0)

vav.link/tc3_usba



TC3 USB-B to USB-A Module with active booster circuit

TC3 USBB+ / SAP: 3446582

"B" type socket on the front as found on a printer chassis

"A" type socket on the rear as found on a laptop chassis

Active circuit uses 5v carried on USB to boost signal

Occupies 1 module space

USB 3.0 (backward compatible with 2.0)

vav.link/tc3_usbbplus



Techconnect USB-C coupler module

TC3 USBCFF / SAP: 11548229

"C" type socket on the front and rear

HDMI 4K @ 30 Hz

USB 3.2

Active circuit boosts signals

vav.link/tc3_usbcff



TC3 USB-B to USB-A Module

TC3 USBB / SAP: 3446581

"A" type socket on the rear as found on a laptop chassis

"B" type socket on the front as found on a printer chassis

Occupies 1 module space

USB 3.0 (backward compatible with 2.0)

vav.link/tc3_usbb



Techconnect USB-C module

TC3 USBC / SAP: 4783744

"C" type socket on the front

Tail on rear with HDMI and USB-A sockets

HDMI 4K @ 60 Hz

USB 3.0

Active circuit boosts signals

vav.link/tc3_usbc



TC3 VGA and Audio Module (phoenix on rear)

TC3 VGAF3.5MM / SAP: 3446585

Female 15-pin D-sub connector for PC output

With a 3.5mm Minijack socket for stereo audio

Phoenix connector at rear

Not labeled

Occupies 1 module space

vav.link/tc3_vgaf3-5mm



White USB 2.0 Cable

USB-A is the type of connector which plugs into your laptop. USB-B is the end that plugs into your printer.

High quality braided shield and ferrite core connector at both ends to shield against EMF and RF interference.

*10m+ models have an in-line active booster (48 mm / 1.9" long x 25 mm / 0.98" wide) integrated half way along cable.

When used with Vision's Techconnect modular faceplate, we recommend using the TC2 USB+ active booster module with all cables longer than 5m (16.4 ft).

10m with active booster

TC 10MUSB+/2 / SAP: 7428313

vav.link/tc_10musbplus-2

1m (3.2ft)

TC 1MUSB / SAP: 3265177

vav.link/tc_1musb

3m (9.8ft)

TC2 3MUSB / SAP: 3004700

vav.link/tc2_3musb

10m (32.8ft)

TC2 10MUSB+ / SAP: 3244188

vav.link/tc2_10musbplus

15m with active booster

TC 15MUSB+/2 / SAP: 7419234

vav.link/tc_15musbplus-2

2m

TC 2MUSB / SAP: 3265178

vav.link/tc_2musb

5m

TC2 5MUSB / SAP: 3004951

vav.link/tc2_5musb

15m (49.2ft)

TC2 15MUSB+ / SAP: 3004953

vav.link/tc2_15musbplus



White VGA to Phoenix Cable

A moulded connector on one end, and a male phoenix connector on the other end which can be plugged directly into the rear of module.

3m (9.8ft)
TC2 3MVGA / SAP: 3000667

5m (16 ft)
TC2 5MVGA / SAP: 2042118
vav.link/tc2_5mvga

10m (33 ft)
TC2 10MVGA / SAP: 1461166
vav.link/tc2_10mvga

15m (49.2ft)
TC2 15MVGA / SAP: 1461168
vav.link/tc2_15mvga

20m (65.6ft)
TC2 20MVGA / SAP: 1461174
vav.link/tc2_20mvga

White Minijack to Phoenix Cable

A moulded connector on one end, and a male phoenix connector on the other end which can be plugged directly into the rear of a Techconnect faceplate module.




3m (9.8ft)
TC2 3M3.5MM / SAP: 3000665

10m
TC2 10M3.5MM / SAP: 1461164
vav.link/tc2_10m3-5mm

5m (16.4ft)
TC2 5M3.5MM / SAP: 2042096

15m (49.2ft)
TC2 15M3.5MM / SAP: 1474524

20m (65.6ft)
TC2 20M3.5MM / SAP: 1461172
vav.link/tc2_20m3-5mm




TC3 Table Faceplate

TC3 SURRTB / SAP: 4875951

Fits into table
Chassis and surround included
Accommodates up to 9 modules (not included)
Very high quality fit and finish
Matt black

vav.link/tc3_surrtb




TC3 UK 2-Gang Surface-Mount Backbox

TC3 BACKBOX2G / SAP: 3446598

Fixes double-gang Techconnect surround to walls.
Surface Mount

vav.link/tc3_backbox2g



TC3 UK 2-Gang Surround

TC3 SURR2G / SAP: 3446603

Double-gang frame which accommodates five modules (not included)
Fits to any standard double-gang UK backbox (pattress) or mudring
Can be made DDA (UK Equalities Act 2010) compliant

vav.link/tc3_surr2g




TC3 Belgian 65mm Surround

TC3 SURRBE65 / SAP: 3446591

Frame which accommodates four modules (not included)
Fits to standard 65mm/ 2.56" Le Grand trunking

vav.link/tc3_surrbe65



TC3 UK 1-Gang Surface-Mount Backbox

TC3 BACKBOX1G / SAP: 3446597

Fixes single-gang Techconnect surround to walls.
Surface Mount

vav.link/tc3_backbox1g



TC3 UK 1-Gang Surround

TC3 SURR1G / SAP: 3446602

Single-gang frame which accommodates two modules (not included)
Fits to any standard single-gang UK backbox (pattress) or mudring

vav.link/tc3_surr1g



TC3 UK 2-Gang Surround DDA Sticker

TC3 SURR2G_DDA / SAP: 10388804

Dark Grey
Fits to double-gang surround TC3 SURR2G
Can be added to any Techconnect package

vav.link/tc3_surr2g_dda

TC3 Table Faceplate

Part of the Techconnect 3 system

Part of Vision's Techconnect modular AV faceplate family, this table surround allows seamless AV integration into boardroom and meeting room tables.



Tactile Quality

Lift the lid and feel the weight. Strong, finely finished materials have been selected to make this product.



Cable Tie Points

Vision takes ease of installation seriously. Installers will enjoy multiple 6 mm / 0.23" fixing holes for securing cables underneath the chassis.



Plug In And Close

A 15 mm / 0.6" gap around the lid means you can plug-in or pull-up, then close the lid to get back table space for your meeting.



9-Module Capacity

Mix and match the modules you need in a future-proof enclosure.



A4

The bezel is very similar in size to an A4 piece of paper – slightly narrower.



Optional Power Sockets

Choose Vision's Schuko (EU) or 1363 (UK) power socket modules (Part numbers TC3 PWREU or TC3 PWRUK).



Slow-Close

Throw the lid closed and a damper slows the lid, closing silently.



Lifetime warranty



TC3 SURRTB EU SAP: 4875951 US SAP: 13445531

Fits into table

Chassis and surround included

Accommodates up to 9 modules (not included)

Very high quality fit and finish

Matt black

vav.link/tc3_surrtb



Lifetime
warranty

TC3 Control Module

Part of the Techconnect 3 system

Techconnect Control is the most flexible professional AV control device available. This simple control panel controls all of your AV equipment – projectors, flat panels, amplifiers, and screens – simultaneously and only presents users with the functions they use every day. No tech support calls and no losing remote controls. All in a secure Techconnect module. Perfect for presentation rooms or meeting spaces.

TC3-CTL EU SAP: 3446596
US SAP: 12939501

Control projectors etc via IR, RS-232,
RS-485, and 12V

Schedule commands

Powered by mains power or batteries

vav.link/tc3-ctl



Simple Setup Mode

Hold down the two middle buttons to put into learn mode, point the original device remote at the front of the Control and program a code per button.



Extension Keypad

If more than six buttons are required the software allows you to add another Control as an extension keypad.



Code Library

An integrated library of IR and RS-232 codes speed programming up. For example if you learn the codes for a projector those codes will be automatically uploaded to the database so that the next installer who needs those codes will find them in the software library.



Battery

The Control comes with a mains power adaptor, but can also be powered by 2 x AAA batteries (not included).



Duplication

Programs can be saved to a PC making duplication for a roll out simple.



Delay

Commands can be delayed up to 60 seconds. For example when you turn a projector on it takes time to warm up so the motorised screen doesn't come down until the projector is ready.



Labels

Clear caps unclip off the buttons from the front to allow label changes.



Easy Wiring

To speed up installation it comes with a short 9-pin serial cable which plugs into the phoenix port on the Control.



Backlit buttons

Backlit buttons are easy to read.



Advanced Setup Mode

Connect to a PC and use the included software to allocate multiple RS-232, IR, and 12v triggers to each button.



Scheduling

Once programmed a schedule can be setup. e.g. turn the digital signage in a store off at midnight every night.



TC3 50w Amplifier

Part of the Techconnect 3 system



Lifetime warranty



Front Panel Input

Two Inputs are wired into the rear with removable phoenix connectors, but Input 1 is also duplicated on the front panel with a minijack socket for convenience. This "half-normalled" input disconnects.



Power Four Speakers

Don't let size deceive you: this Amp can drive into a 4 ohm load allowing you to power up to four 8 ohm speakers (or two 4 ohm speakers).



Remote Control

A remote control is included and IR receivers are positioned on the front and rear for integration with a control system such as the Techconnect Control. Note: there is no tone control with this amplifier. Our spare remote controls have tone buttons but they do not work with this product.



Close at Hand

Can be positioned anywhere in the room making it perfect for training rooms, boardrooms, and classrooms.



D-Class Amplifier

Digital amplifiers use no power unless they are amplifying program, so even on at full volume; unless it is receiving input it is effectively off. Digital amplifiers also have the advantage of running cold so a bulky heatsink is not necessary.



Integrated Techconnect Family

Included is a single-gang backbox and surround, or alternatively you can mount it in a double-gang surround with other Techconnect modules.



Preset Memory

By default when power is activated the Techconnect Amp turns on and resumes the most recent settings. For hospitality applications it can be set to return to a preset input and level whenever it is powered on – for example in hotel guest rooms.



Secure

Ideal when you don't have furniture to sit an amplifier on, and because it is mounted to the wall it is much less obvious as a target for theft.



Easy to Install and Uninstall

A robust module that is easy to install or remove and disconnect from the front. Removable phoenix connectors allow non-technical end users to uninstall it very easily if required.



Tactile Dial

A simple clear control interface makes the product easy to use long press on the dial to power on and off. Short press to change input.

By using latest low-impedance digital amplifier chip technology the new Techconnect Amp module outputs a massive 2 x 25 watts RMS (at 8 ohms) but fits into the space of a double-space Techconnect module.

Suited to meeting spaces, museums, and presentation suites.

TC3-AMP EU SAP: 3446595

US SAP: 12939499

TC3-AMP+SP-1800 EU SAP: 3692237

US SAP: 70017401

TC3-AMP+CS-1900 EU SAP: 5356158

Extremely small 2 x 25 w (RMS) at 8 ohms


Digital Amp
2 x Stereo inputs (Input 1 duplicated on front and rear)

IR Remote control included

vav.link/tc3-amp



Build your own faceplate using our Techconnect Faceplate Configurator



Select the products and parts you need to see a visual representation of your end product and create a shopping list with **all the technical details.**

Your shopping list




TC3 Minijack Module
(phoenix on rear)



TC3 3-Phono [RCA] Module
(phoenix on rear)




TC3 HDMI Module



TC3 VGA and Audio Module
(phoenix on rear)



TC3 Dual RJ45 Module
(bare-wire on rear)



TC3 4-port Barewire
Speaker Module

















Print






Download

vav.link/fc













Modules

Product	Part Number	Info	Link
 TC3 50w Amplifier	TC3-AMP		vav.link/tc3-amp
 TC3 50w Amplifier with Speakers	TC3-AMP+		vav.link/tc3-ampplus
 TC3 Control Module	TC3-CTL/2		vav.link/tc3-ctl-2
 TC3 Minijack Module (phoenix on rear)	TC3 3.5MM/V2		vav.link/tc3_3-5mm-v2
 TC3 Blank Module	TC3 BLANK		vav.link/tc3_blank
 TC3 Brush Module	TC3 BRUSH		vav.link/tc3_brush
 TC3 HDMI Module	TC3 HDMI		vav.link/tc3_hdmi
 TC3 HDMI+ Module	TC3 HDMI+		vav.link/tc3_hdmiplus
 TC3 USB-A to USB-B Module	TC3 USBA		vav.link/tc3_usba
 TC3 USB-B to USB-A Module	TC3 USBB		vav.link/tc3_usbb
 TC3 USB-B to USB-A Module with active booster circuit	TC3 USBB+	Connector: USB-A (female); USB-B (female)	vav.link/tc3_usbbplus
 Techconnect USB-C module	TC3 USBC		vav.link/tc3_usbc
 Techconnect USB-C coupler module	TC3 USBCFF		vav.link/tc3_usbcff
 TC3 VGA and Audio Module (phoenix on rear)	TC3 VGAF3.5MM		vav.link/tc3_vgaf3-5mm








Cables

Product	Part Number	Info	Link
 White Minijack to Phoenix Cable 3m (9.8ft)	TC2 3M3.5MM	Colour: White Connector: Phoenix (male) Length: 3m (10ft)	vav.link/tc2_3m3-5mm
 White VGA to Phoenix Cable 3m (9.8ft)	TC2 3MVGA	Colour: White Connector: VGA (male) Length: 3m (10ft)	vav.link/tc2_3mvga
 White VGA to Phoenix Cable 5m (16 ft)	TC2 5MVGA	Colour: White Connector: VGA (male) Length: 5m (16ft)	vav.link/tc2_5mvga

Cables

Product	Part Number	Info	Link
 White VGA to Phoenix Cable 10m (33 ft)	TC2 10MVGA	Colour: White Connector: VGA (male) Length: 10m (33ft)	vav.link/tc2_10mvga
 White Minijack to Phoenix Cable 10m	TC2 10M3.5MM	Colour: White Connector: Phoenix (male) Length: 10m (33ft)	vav.link/tc2_10m3-5mm
 White USB 2.0 Cable 3m (9.8ft)	TC2 3MUSB	Colour: White Connector: USB-A (male); USB-B (male) Length: 3m (10ft)	vav.link/tc2_3musb
 Black USB 2.0 Cable 3m (9.8ft)	TC 3MUSB/BL	Colour: Black Connector: USB-A (male); USB-B (male) Length: 3m (10ft)	vav.link/tc_3musb-bl
 White USB 2.0 Cable 5m	TC2 5MUSB	Colour: White Connector: USB-A (male); USB-B (male) Length: 5m (16ft)	vav.link/tc2_5musb
 Black USB 2.0 Cable 5m (16.4ft)	TC 5MUSB/BL	Colour: Black Connector: USB-A (male); USB-B (male) Length: 5m (16ft)	vav.link/tc_5musb-bl
 White USB 2.0 Cable 10m with active booster	TC 10MUSB+/2	Colour: White Connector: USB-A (male); USB-B (male) Length: 10m (33ft)	vav.link/tc_10musbplus-2
 Black USB 2.0 Cable 10m with active booster	TC 10MUSB+/BL/2	Colour: Black Connector: USB-A (male); USB-B (male) Length: 10m (33ft)	vav.link/tc_10musbplus-bl-2
 15m White USB 2.0 Cable with active booster	TC 15MUSB+/2	Colour: White Connector: USB-A (male); USB-B (male) Length: 15m (49ft)	vav.link/tc_15musbplus-2
 Black USB 2.0 Cable 5m with active booster	TC 5MUSB3.0+/BL	Colour: Black Connector: USB-A (male); USB-B (male) Length: 5m (16ft)	vav.link/tc_5musb3-0plus-bl
 Black USB 2.0 Cable 10m with active booster	TC 10MUSB3.0+/BL	Colour: Black Connector: USB-A (male); USB-B (male) Length: 10m (33ft)	vav.link/tc_10musb3-0plus-bl
 Black USB 2.0 Cable 15m with active booster	TC 15MUSB3.0+/BL	Colour: Black Connector: USB-A (male); USB-B (male) Length: 15m (49ft)	vav.link/tc_15musb3-0plus-bl

Mounting Hardware

Product	Part Number	Info	Link
 TC3 UK 1-Gang Surface-Mount Backbox	TC3 BACKBOX1G	Colour: White	vav.link/tc3_backbox1g
 TC3 UK 2-Gang Surface-Mount Backbox	TC3 BACKBOX2G	Colour: White	vav.link/tc3_backbox2g
 TC3 UK 1-Gang Surround	TC3 SURR1G	Colour: White	vav.link/tc3_surr1g
 TC3 UK 2-Gang Surround	TC3 SURR2G		vav.link/tc3_surr2g
 TC3 UK 2-Gang Surround DDA Sticker	TC3 SURR2G_DDA		vav.link/tc3_surr2g_dda
 TC3 Table Faceplate	TC3 SURRTB		vav.link/tc3_surrtb
 TC3 Belgian 65mm Surround	TC3 SURRBE65		vav.link/tc3_surrbe65



Extenders

- > HDMI-Over-IP
- > HDMI Switcher
- > Wireless HDMI, mDP, and USB-C
- > HDMI-over-IP Matrix



HDMI-over-IP Transmitter

TC-HDMIPTX/3 / SAP: 6862537

vav.link/tc-hdmiiptx-3



HDMI-over-IP Receiver

TC-HDMIIPRX/3 / SAP: 6862534

vav.link/tc-hdmiiprx-3



HDMI-over-CAT6 60m Set

TC-HDMICAT / SAP: 11937389

4K at 60 Hz with zero latency

Maximum length 60 m

One to one only (not IP)

HDMI loop out

vav.link/tc-hdmicat






HDMI and USB-over-CAT6 70m Set

TC-HDMICAT+ / SAP: 11937388


4K at 60 Hz with zero latency
Maximum length 70 m
One to one only (not IP)
HDMI loop out
USB 1.1 KVM
Analogue audio output on receiver

vav.link/tc-hdmicatplus

Product		Part Number	Info	Link
	HDMI-over-CAT6 60m Set	TC-HDMICAT	4K at 60 Hz with zero latency Maximum length 60 m One to one only (not IP) HDMI loop out	vav.link/tc-hdmicat
	HDMI and USB-over-CAT6 70m Set	TC-HDMICAT+	4K at 60 Hz with zero latency Maximum length 70 m One to one only (not IP) HDMI loop out USB 1.1 KVM Analogue audio output on receiver	vav.link/tc-hdmicatplus
	Digital Signage HDMI-over-IP	TC-HDMIIP/3	Distributes HDMI via a network H.265 compression One-to-One directly over a LAN or directly One-to-Many over LAN IR Pass-through USB 1.1 transmission	vav.link/tc-hdmiip-3



Cables



Cable finder

Search our comprehensive range of cables by Connector Type, Length and Color.

vav.link/cf

- > Audio Cables
- > DisplayPort Cables & Adaptors
- > USB Cables & Adaptors
- > Fibre Data Cables
- > CAT6 Ethernet Cables
- > HDMI Cables & Adaptors
- > USB-C Cables & Adaptors
- > Power Cables
- > Serial Cables & Adaptors
- > VGA Cables & Adaptors



White Minijack Cable

This simple patch cable connects your phone or laptop to most audio systems. Minijacks are also known as 1/8", or TRS jack (tip-ring-sleeve) and 3.5 mm / 0.14" jack. They carry a "line-level" signal.

Includes female-minijack to phoenix adaptor, to allow connection to rear of Techconnect modules.

1m (3.2ft)

TC 1M3.5MMP / SAP: 3546048

vav.link/tc_1m3-5mmp

3m (9.8ft)

TC 3M3.5MMP / SAP: 4500881

vav.link/tc_3m3-5mmp

10m (32.8ft)

TC 10M3.5MMP / SAP: 4536895

vav.link/tc_10m3-5mmp

2m (6.6ft)

TC 2M3.5MMP / SAP: 3265183

vav.link/tc_2m3-5mmp

5m (16.4ft)

TC 5M3.5MMP / SAP: 4536894

vav.link/tc_5m3-5mmp

15m (49.2ft)

TC 15M3.5MMP / SAP: 4536896

vav.link/tc_15m3-5mmp

DisplayPort Cable & Adaptors



White DisplayPort Cable

White 8K DisplayPort Cable 2m

TC 2MDP8K / SAP: 10430559

vav.link/tc_2mdp8k

2m (6.6ft)

TC 2MDP / SAP: 3265161

vav.link/tc_2mdp

5m (16.4ft)

TC 5MDP / SAP: 3265162

vav.link/tc_5mdp

1m (3.2ft)

TC 1MDP / SAP: 3265160

vav.link/tc_1mdp

3m (9.8ft)

TC 3MDP / SAP: 4500876

vav.link/tc_3mdp

10m (32.8ft)

TC 10MDP / SAP: 4537083

vav.link/tc_10mdp



Black 8K DisplayPort Cable 2m

TC 2MDP8K/BL / SAP: 10430560

vav.link/tc_2mdp8k-bl

3m (9.8ft)

TC 3MDP/BL / SAP: 4911605

vav.link/tc_3mdp-bl

2m (6.6ft)

TC 2MDP/BL / SAP: 4911604

vav.link/tc_2mdp-bl



Black DisplayPort to HDMI Cable 1m (3.2ft)

TC 1MDPHDMI/BL / SAP: 4911607

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc_1mdphdmi-bl



Black DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MDPHDMI/BL / SAP: 4911608

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc_2mdphdmi-bl



Black DisplayPort to HDMI 8K Cable 2m

TC 2MDPHDMI8K/BL / SAP: 11898840

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc_2mdphdmi8k-bl



Black USB-C to DP 8K Cable 2m

TC 2MUSBCDP8K/BL / SAP: 10430552

Works for iPad and iPhone

vav.link/tc_2musbcdp8k-bl

DisplayPort Cable & Adaptors



Black Mini-DisplayPort to VGA Adaptor

TC-MDPVGA/BL / SAP: 4979356

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-mdpvga-bl



Black DisplayPort to HDMI Adaptor

TC-DPHDMI/BL / SAP: 4979292

Plugs into DisplayPort and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc-dphdmi-bl



Black DisplayPort to 8K HDMI Adaptor

TC-DPHDMI8K/BL / SAP: 12231260

Plugs into DisplayPort and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc-dphdmi8k-bl



White DisplayPort to VGA Adaptor

TC-DPVGA / SAP: 4507453

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-dpvga



Black DisplayPort to VGA Adaptor

TC-DPVGA/BL / SAP: 4979137

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-dpvga-bl



Black Mini-DisplayPort to HDMI Adaptor

TC-MDPHDMI/BL / SAP: 4979147

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-mdphdmi-bl



White USB 2.0 Cable

USB-A is the type of connector which plugs into your laptop. USB-B is the end that plugs into your printer.

High quality braided shield and ferrite core connector at both ends to shield against EMF and RF interference.

*10m+ models have an in-line active booster (48 mm / 1.9" long x 25 mm / 0.98" wide) integrated half way along cable.

When used with Vision's Techconnect modular faceplate, we recommend using the TC2 USB+ active booster module with all cables longer than 5m (16.4 ft).

10m with active booster

TC 10MUSB+/2 / SAP: 7428313

vav.link/tc_10musbplus-2

15m with active booster

TC 15MUSB+/2 / SAP: 7419234

vav.link/tc_15musbplus-2

1m (3.2ft)

TC 1MUSB / SAP: 3265177

vav.link/tc_1musb

2m

TC 2MUSB / SAP: 3265178

vav.link/tc_2musb

3m (9.8ft)

TC2 3MUSB / SAP: 3004700

vav.link/tc2_3musb

5m

TC2 5MUSB / SAP: 3004951

vav.link/tc2_5musb

10m (32.8ft)

TC2 10MUSB+ / SAP: 3244188

vav.link/tc2_10musbplus

15m (49.2ft)

TC2 15MUSB+ / SAP: 3004953

vav.link/tc2_15musbplus

White USB 2.0 Extension Cable



1m (3.2ft)

TC 1MUSBEXT / SAP: 3265181

vav.link/tc_1musbext

2m (6.5ft)

TC 2MUSBEXT / SAP: 3265182

vav.link/tc_2musbext

3m (9.8ft)

TC 3MUSBEXT+ / SAP: 4500879

vav.link/tc_3musbextplus

5m (16.4ft)

TC 5MUSBEXT+ / SAP: 4500880

vav.link/tc_5musbextplus



White USB-C to USB 3.0A Cable

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

1m
TC 1MUSBCA / SAP: 4322261
vav.link/tc_1musbca

2m (6.5ft)
TC 2MUSBCA / SAP: 4322262
vav.link/tc_2musbca

3m (9.8ft)
TC 3MUSBCA / SAP: 4322263
vav.link/tc_3musbca



Black USB 2.0 Cable

USB-A is the type of connector which plugs into your laptop. USB-B is the end that plugs into your printer.

High quality braided shield and ferrite core connector at both ends to shield against EMF and RF interference.

10m with active booster
TC 10MUSB+/BL/2 / SAP: 7419232
vav.link/tc_10musbplus-bl-2

15m (49.2ft)
TC 15MUSB+/BL/2 / SAP: 7419233
vav.link/tc_15musbplus-bl-2

1m (3.2ft)
TC 1MUSB/BL / SAP: 4911615
vav.link/tc_1musb-bl

2m
TC 2MUSB/BL / SAP: 4911616
vav.link/tc_2musb-bl

3m (9.8ft)
TC 3MUSB/BL / SAP: 4911617
vav.link/tc_3musb-bl

5m (16.4ft)
TC 5MUSB/BL / SAP: 4911618
vav.link/tc_5musb-bl

10m (32.8ft)
TC 10MUSB+/BL / SAP: 4911619
vav.link/tc_10musbplus-bl

15m (49.2ft)
TC 15MUSB+/BL / SAP: 4911620
vav.link/tc_15musbplus-bl



Black USB 3.0 Cable 2m

TC 2MUSB3.0/BL / SAP: 12209759

USB-A is the type of connector which plugs into your laptop. USB-B is the end that plugs into your printer.

Compact connectors. High quality braided shield to shield against EMF and RF interference.

vav.link/tc_2musb3-0-bl



Black USB 3.0 Cable 3m

TC 3MUSB3.0/BL / SAP: 12209760

USB-A is the type of connector which plugs into your laptop. USB-B is the end that plugs into your printer.

Compact connectors. High quality braided shield to shield against EMF and RF interference.

vav.link/tc_3musb3-0-bl

USB Cables & Adaptors



Black USB 2.0 Cable 5m with active booster

TC 5MUSB3.0+/BL / SAP: 12209761

USB-A is the type of connector which plugs into your laptop. USB-B is the end that plugs into your printer. This cable has an in-line active booster half way along cable.

vav.link/tc_5musb3-0plus-bl



Black USB 2.0 Cable 15m with active booster

TC 15MUSB3.0+/BL / SAP: 12209767

USB-A is the type of connector which plugs into your laptop. USB-B is the end that plugs into your printer. This cable has an in-line active booster half way along cable.

vav.link/tc_15musb3-0plus-bl



Black USB 2.0 Extension Cable 5m (16.4ft) with active booster

TC 5MUSBEXT+/BL / SAP: 4911622

vav.link/tc_5musbextplus-bl



Black USB 3.0 Extension Cable 5 m

TC 5MUSB3.0EXT+/BL / SAP: 11950530

vav.link/tc_5musbext-bl



Black USB-C to USB 3.0A Cable 2 m

TC 2MUSBCA/BL / SAP: 4911625

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_2musbca-bl



Black USB 2.0 Cable 10m with active booster

TC 10MUSB3.0+/BL / SAP: 12209766

USB-A is the type of connector which plugs into your laptop. USB-B is the end that plugs into your printer. This cable has an in-line active booster half way along cable.

vav.link/tc_10musb3-0plus-bl



Black USB 2.0 Extension Cable 2 m

TC 2MUSBEXT/BL / SAP: 4911621

vav.link/tc_2musbext-bl



Black USB 3.0 Extension Cable 2 m

TC 2MUSB3.0EXT/BL / SAP: 12209758

vav.link/tc_2musb3-0ext-bl



Black USB-C to USB 3.0A Cable 1m (3.2ft)

TC 1MUSBCA/BL / SAP: 4911624

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_1musbca-bl



Black USB to RJ45 Ethernet Cable 2m

TC 2MUSBETH/BL / SAP: 10369167

On one end: RJ45 Ethernet - plugs into a network port on wall plate

On the other end: USB A - the rectangle connector which plugs into your laptop.

vav.link/tc_2musbeth-bl

USB Cables & Adaptors



White USB-C to USB 3.0A Adaptor

TC-USBC3A / SAP: 4322267

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

vav.link/tc-usbc3a



Black USB-C to USB 3.0A Adaptor

TC-USBC3A/BL / SAP: 4979313

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

vav.link/tc-usbc3a-bl



USB-3.0A M to USB-C F Adaptor

TC-USB3AC/BL / SAP: 5535560

Plugs into the USB 3.0 port on a laptop to provide a USB 3.1 (USB-C) socket so that newer peripherals can be used.

vav.link/tc-usb3ac-bl



Black USB 3.0 to HDMI Adaptor

TC-USBHDMI / SAP: 4322270

Connects the USB 3.0 port on a laptop to a display device.

vav.link/tc-usbhdmi



Black USB 3.0 to Ethernet Adaptor

TC-USBETH/BL / SAP: 4979136

100/1000 Mbps

vav.link/tc-usbeth-bl



Black USB 2.0 to 9-Pin RS-232 Serial Adaptor

TC-USBSER / SAP: 3265219

Converts a USB port on a computer into a 9-pin serial port for RS-232 control applications.

vav.link/tc-usbser



Black USB 3.0 4-Port Hub

TC-USBHUB4P / SAP: 11546436

1 x USB-A connector on 30 cm cable
4 x USB-A sockets on chassis
3.0 ports - 5Gbps

vav.link/tc-usbhub4p

CAT6 Ethernet Cables



White CAT6 Cable

0.5m (1.6ft)
TC 0.5MCAT6 / SAP: 3265140
vav.link/tc_0-5mcat6

2m (6.5ft)
TC 2MCAT6 / SAP: 3265142
vav.link/tc_2mcat6

5m (16.4ft)
TC 5MCAT6 / SAP: 3265147
vav.link/tc_5mcat6

1m (3.2ft)
TC 1MCAT6 / SAP: 3265141
vav.link/tc_1mcat6

3m (9.8ft)
TC 3MCAT6 / SAP: 3265146
vav.link/tc_3mcat6

10m (32.8ft)
TC 10MCAT6 / SAP: 3265148
vav.link/tc_10mcat6



Black CAT6 Cable

White CAT6A Cable 0.5m
TC 0.5MCAT6A / SAP: 10430554
vav.link/tc_0-5mcat6a

Black CAT6A Cable 1m
TC 1MCAT6A/BL / SAP: 10430553
vav.link/tc_1mcat6a-bl

Black CAT6A Cable 2m
TC 2MCAT6A/BL / SAP: 10430558
vav.link/tc_2mcat6a-bl

Black CAT6A Cable 3m
TC 3MCAT6A/BL / SAP: 10430551
vav.link/tc_3mcat6a-bl

0.5m (1.6ft)
TC 0.5MCAT6/BL / SAP: 4911589
vav.link/tc_0-5mcat6-bl

10m (32.8ft)
TC 10MCAT6/BL / SAP: 4911594
vav.link/tc_10mcat6-bl

3m (9.8ft)
TC 3MCAT6/BL / SAP: 4911592
vav.link/tc_3mcat6-bl

White CAT6A Cable 1m
TC 1MCAT6A / SAP: 10430556
vav.link/tc_1mcat6a

White CAT6A Cable 2m
TC 2MCAT6A / SAP: 10430557
vav.link/tc_2mcat6a

White CAT6A Cable 3m
TC 3MCAT6A / SAP: 10430561
vav.link/tc_3mcat6a

White CAT6A Cable 5m
TC 5MCAT6A / SAP: 10430553
vav.link/tc_5mcat6a

1m (3.2ft)
TC 1MCAT6/BL / SAP: 4911590
vav.link/tc_1mcat6-bl

2m (6.5ft)
TC 2MCAT6/BL / SAP: 4911591
vav.link/tc_2mcat6-bl

5m (16.4ft)
TC 5MCAT6/BL / SAP: 4911593
vav.link/tc_5mcat6-bl



Black USB-C to Ethernet Adaptor

TC-USBCETH/BL / SAP: 4979314

Converts a USB port on a laptop into an RJ45 Ethernet port.

vav.link/tc-usbceth-bl



Black USB 3.0 to Ethernet Adaptor

TC-USBETH/BL / SAP: 4979136

100/1000 Mbps

vav.link/tc-usbeth-bl

CAT6 Ethernet Cables



Lifetime
warranty



Black USB-C to RJ45 Ethernet Cable 2m

TC 2MUSBCETH/BL / SAP: 10369166

On one end: RJ45 Ethernet - plugs into a
network port on wall plate

On the other end: USB type C - reversible USB
plug which supports USB 3.2 signal.

vav.link/tc_2musbceth-bl



Black USB to RJ45 Ethernet Cable 2m

TC 2MUSBETH/BL / SAP: 10369167

On one end: RJ45 Ethernet - plugs into a
network port on wall plate

On the other end: USB A - the rectangle
connector which plugs into your laptop.

vav.link/tc_2musbeth-bl

HDMI Cables & Adaptors



Black HDMI Cable

High-Speed Black HDMI Cable with Ethernet. Compact gold-plated connector. Tested to Category 2.

Black HDMI 8K Cable 1m
TC 1MHDMI8K/BL / SAP: 9886219
vav.link/tc_1mhdmi8k-bl

Black HDMI 8K Cable 3m
TC 3MHDMI8K/BL / SAP: 9886222
vav.link/tc_3mhdmi8k-bl

Black HDMI 8K Cable 10m
TC 10MHDMI8K/BL / SAP: 9886220
vav.link/tc_10mhdmi8k-bl

1m (3.2ft)
TC 1MHDMI/BL / SAP: 4911596
vav.link/tc_1mhdmi-bl

2m (6.5ft)
TC 2MHDMI/BL / SAP: 4911598
vav.link/tc_2mhdmi-bl

5m (16.4ft)
TC 5MHDMI/BL / SAP: 4911600
vav.link/tc_5mhdmi-bl

15m (49.2ft)
TC 15MHDMI/BL / SAP: 4911602
vav.link/tc_15mhdmi-bl

Black HDMI 8K Cable 2m
TC 2MHDMI8K/BL / SAP: 9886226
vav.link/tc_2mhdmi8k-bl

Black HDMI 8K Cable 5m
TC 5MHDMI8K/BL / SAP: 9886228
vav.link/tc_5mhdmi8k-bl

0.5m (1.6ft)
TC 0.5MHDMI/BL / SAP: 4911595
vav.link/tc_0-5mhdmi-bl

1.5m (4.9ft)
TC 1.5MHDMI/BL / SAP: 4911597
vav.link/tc_1-5mhdmi-bl

3m (9.8ft)
TC 3MHDMI/BL / SAP: 4911599
vav.link/tc_3mhdmi-bl

10m (32.8ft)
TC 10MHDMI/BL / SAP: 4911601
vav.link/tc_10mhdmi-bl



Black DisplayPort to HDMI Cable 1m (3.2ft)

TC 1MDPHDMI/BL / SAP: 4911607

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc_1mdphdmi-bl



Black DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MDPHDMI/BL / SAP: 4911608

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc_2mdphdmi-bl



Black DisplayPort to HDMI 8K Cable 2m

TC 2MDPHDMI8K/BL / SAP: 11898840

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc_2mdphdmi8k-bl



Black DisplayPort to HDMI Adaptor

TC-DPHDMI/BL / SAP: 4979292

Plugs into DisplayPort and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc-dphdmi-bl

HDMI Cables & Adaptors



Black DisplayPort to 8K HDMI Adaptor

TC-DPHDMI8K/BL / SAP: 12231260

Plugs into DisplayPort and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs. NOT BI-DIRECTIONAL. DOES NOT CONVERT HDMI TO DP.

vav.link/tc-dphdmi8k-bl



Black HDMI to VGA Adaptor

TC-HDMIVGA/BL / SAP: 4979146

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

vav.link/tc-hdmivga-bl



Black USBC Coupler

TC-USBCFF/BL / SAP: 10430562

20 Gbps
100W power
8K 60hz

vav.link/tc-usbcff



Black USB-C to HDMI Adaptor

TC-USBCHDMI/BL / SAP: 4979315

Supports AMD Eyefinity and NVIDIA technology

vav.link/tc-usbchdmi-bl



Black USB-C to 8K DisplayPort Adaptor

TC-USBCDP8K/BL / SAP: 11950533

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbcdp8k-bl



White HDMI to VGA Adaptor

TC-HDMIVGA / SAP: 4191274

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

vav.link/tc-hdmivga



Black Mini-DisplayPort to HDMI Adaptor

TC-MDPHDMI/BL / SAP: 4979147

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-mdphdmi-bl



White USB-C to HDMI Adaptor

TC-USBCHDMI / SAP: 4322271

Supports AMD Eyefinity and NVIDIA technology

vav.link/tc-usbchdmi



Black USB-C to 8K HDMI Adaptor

TC-USBCHDMI8K/BL / SAP: 11879536

Supports AMD Eyefinity and NVIDIA technology

vav.link/tc-usbchdmi8k-bl



Black USB 3.0 to HDMI Adaptor

TC-USBHDMI / SAP: 4322270

Connects the USB 3.0 port on a laptop to a display device.

vav.link/tc-usbhdm

HDMI Cables & Adaptors



Lifetime warranty



Black USB-C to HDMI 8K Cable 2m

TC 2MUSBCHDMI8K/BL / SAP: 11470420

Works for iPad and iPhone

vav.link/tc_2musbchdmi8k-bl



Black USB-C to HDMI 4K Cable 5m

TC 5MUSBCHDMI/BL / SAP: 12209763

Works for iPad and iPhone

vav.link/tc_5musbchdmi-bl



Black USB-C to HDMI 4K Cable 10m

TC 10MUSBCHDMI+/BL / SAP: 12209764

Works for iPad and iPhone

vav.link/tc_10musbchdmiplus-bl



Black USB-C to HDMI 4K Cable 15m

TC 15MUSBCHDMI+/BL / SAP: 12209765

Works for iPad and iPhone

vav.link/tc_15musbchdmiplus-bl



Black USB-C to HDMI 4K Cable 50m

TC 50MUSBCHDMI+/BL / SAP: 12209762

Works for iPad and iPhone

vav.link/tc_50musbchdmiplus-bl

USB-C Cables & Adaptors



Lifetime warranty

White USB-C to USB 3.0A Cable



On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.
On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

1m
TC 1MUSBCA / SAP: 4322261
vav.link/tc_1musbca

2m (6.5ft)
TC 2MUSBCA / SAP: 4322262
vav.link/tc_2musbca

3m (9.8ft)
TC 3MUSBCA / SAP: 4322263
vav.link/tc_3musbca

White USB-C Cable



USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.1 signal.
This type also supports the Thunderbolt 3.0 signal, which now uses a USB-C cable (Note: Bandwidth only goes up to 10 Gbps, as with most USB-C cables).

2m
TC 2MUSBC / SAP: 8316006
vav.link/tc_2musbc

1m (3.2ft)
TC 1MUSBC / SAP: 4322264
vav.link/tc_1musbc

1.5m (4.9ft)
TC 1.5MUSBC / SAP: 4322265
vav.link/tc_1-5musbc

4m (13.1ft)
TC 4MUSBC / SAP: 4880388
vav.link/tc_4musbc



White USB-C to USB 3.0A Adaptor

TC-USBC3A / SAP: 4322267

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

vav.link/tc-usbc3a



Black USB-C to USB 3.0A Adaptor

TC-USBC3A/BL / SAP: 4979313

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

vav.link/tc-usbc3a-bl



USB-3.0A M to USB-C F Adaptor

TC-USB3AC/BL / SAP: 5535560

Plugs into the USB 3.0 port on a laptop to provide a USB 3.1 (USB-C) socket so that newer peripherals can be used.

vav.link/tc-usb3ac-bl



Black USB-C to Ethernet Adaptor

TC-USBCETH/BL / SAP: 4979314

Converts a USB port on a laptop into an RJ45 Ethernet port.

vav.link/tc-usbceth-bl

USB-C Cables & Adaptors



Lifetime warranty



White USB-C to HDMI Adaptor

TC-USBCHDMI / SAP: 4322271

Supports AMD Eyefinity and NVIDIA technology

vav.link/tc-usbchdmi



Black USB-C to HDMI Adaptor

TC-USBCHDMI/BL / SAP: 4979315

Supports AMD Eyefinity and NVIDIA technology

vav.link/tc-usbchdmi-bl



Black USB-C to 8K HDMI Adaptor

TC-USBCHDMI8K/BL / SAP: 11879536

Supports AMD Eyefinity and NVIDIA technology

vav.link/tc-usbchdmi8k-bl



Black USB-C to 8K DisplayPort Adaptor

TC-USBCDP8K/BL / SAP: 11950533

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbcdp8k-bl



USB-C RS-232 Serial Adaptor

TC-USBCSER/BL / SAP: 5696996

Converts a USB-C port on a computer into a 9-pin serial port for RS-232 control applications.

vav.link/tc-usbcser-bl



Black USB-C to VGA Adaptor

TC-USBCVGA/BL / SAP: 4979135

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbcvga-bl



Wireless HDMI Display Presentation Set

TC-USBCW / SAP: 11546435

Plug and Play

Supports up to 4K at 30 Hz

1:1 only (no signal splitting or extending)

vav.link/tc-usbcw



USB-C Multiport Hub Black

TC-USBCHUB5P / SAP: 11546437

1 x HDMI 4K at 60 Hz

1 x RJ45 Ethernet 1000 Mbps

1 x USB 3.0

1 x USB-C with 100W Power Delivery Pass-Through

1 x USB-C with 4K at 60 Hz

vav.link/tc-usbchub5p



USB-C 30W Charger with EU Plug

TC-PUSBCEU/30 / SAP: 7407487

USB-C charging adapter

EU CEE 7/7 Europlug

MFI (made for iOS) certified factory

Outputs 30w for fast charging

vav.link/tc-pusbceu-30



USB A and C 30W Charger with EU Plug

TC-PUSBEU/30 / SAP: 11794168

USB dual-port charging adapter

EU CEE 7/7 Europlug

MFI (made for iOS) certified factory

Outputs 30w for fast charging

vav.link/tc-pusbeu-30

USB-C Cables & Adaptors



USB-C 65W Charger with EU Plug

TC-PUSBCEU/65 / SAP: 11463624

Dual USB-C charging adapter
EU CEE 7/7 Europlug
MFI (made for iOS) certified factory
Outputs 65 w if only one device connected
Outputs 45 w + 20 w if two devices connected

vav.link/tc-pusbceu-65



USB-C 65W Charger with EU and UK Plugs

TC-PUSBC/65 / SAP: 12175628

Dual USB-C charging adapter
Interchangeable Euro, UK, and US plugs included
MFI (made for iOS) certified factory
Outputs 65 w if only one device connected
Outputs 45 w + 10 w if two devices connected

vav.link/tc-pusbc-65



Black USB-C to USB 3.0A Cable 1m (3.2ft)

TC 1MUSBCA/BL / SAP: 4911624

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.
On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_1musbca-bl



Black USB-C to USB 3.0A Cable 2m

TC 2MUSBCA/BL / SAP: 4911625

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.
On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_2musbca-bl



Black USB-C Cable 1m

TC 1MUSBC/BL / SAP: 4986194

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.2 Gen 1 signal.

vav.link/tc_1musbc-bl



2m Black USB-C Cable

TC 2MUSBC/BL / SAP: 5808558

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.2 Gen 1 signal.

vav.link/tc_2musbc-bl



2m Black USB-C Thunderbolt 4 Cable

TC 2MUSBCTB4/BL / SAP: 11950531

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.2 Gen 1 signal.

vav.link/tc_2musbctb4-bl



White USB-C Extension Cable 2m

TC 2MUSBCEXT / SAP: 4880385

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.2 Gen 1 signal.

vav.link/tc_2musbcext



Black USB-C Cable 5m

TC 5MUSBC/BL / SAP: 10430555

This USB-C cable features a coaxial construction, which is pricier than its twisted-pair counterparts, yet it provides more bandwidth, more power, and enhanced compatibility for extended cable lengths.

vav.link/tc_5musbc-bl



Black USB-C Cable 7m

TC 7MUSBC/BL / SAP: 10425511

Optical Cable
Backwards compatible with USB 2.0
Transfers USB data and DisplayPort video data

vav.link/tc_7musbc-bl

USB-C Cables & Adaptors



Lifetime warranty



Black USB-C Cable 10m

TC 10MUSBC/BL / SAP: 10425512

Optical Cable
Backwards compatible with USB 2.0
Transfers USB data and DisplayPort video data

vav.link/tc_10musbc-bl



Black USB-C Cable 15m

TC 15MUSBC/BL / SAP: 12196614

Optical Cable
Backwards compatible with USB 2.0
Transfers USB data and DisplayPort video data

vav.link/tc_15musbc-bl



Black USB-C to HDMI 8K Cable 2m

TC 2MUSBCHDMI8K/BL / SAP: 11470420

Works for iPad and iPhone

vav.link/tc_2musbchdmi8k-bl



Black USB-C to HDMI 4K Cable 5m

TC 5MUSBCHDMI/BL / SAP: 12209763

Works for iPad and iPhone

vav.link/tc_5musbchdmi-bl



Black USB-C to HDMI 4K Cable 10m

TC 10MUSBCHDMI+/BL / SAP: 12209764

Works for iPad and iPhone

vav.link/tc_10musbchdmiplus-bl



Black USB-C to HDMI 4K Cable 15m

TC 15MUSBCHDMI+/BL / SAP: 12209765

Works for iPad and iPhone

vav.link/tc_15musbchdmiplus-bl



Black USB-C to HDMI 4K Cable 50m

TC 50MUSBCHDMI+/BL / SAP: 12209762

Works for iPad and iPhone

vav.link/tc_50musbchdmiplus-bl



Black USB-C to DP 8K Cable 2m

TC 2MUSBCDP8K/BL / SAP: 10430552

Works for iPad and iPhone

vav.link/tc_2musbcdp8k-bl



Black USB-C to RJ45 Ethernet Cable 2m

TC 2MUSBCETH/BL / SAP: 10369166

On one end: RJ45 Ethernet - plugs into a network port on wall plate

On the other end: USB type C - reversible USB plug which supports USB 3.2 signal.

vav.link/tc_2musbceth-bl

Power Cables



Lifetime warranty



3m Black EU Cloverleaf Power cabl

TC 3MEUCVLF/BL / SAP: 7296545

vav.link/tc_3meucvlf-bl



3m Black UK Cloverleaf Power cable

TC 3MUKCVLF/BL / SAP: 7296544

vav.link/tc_3mukcvlf-bl

Serial Cables & Adaptors



USB-C RS-232 Serial Adaptor

TC-USBCSER/BL / SAP: 5696996

Converts a USB-C port on a computer into a 9-pin serial port for RS-232 control applications.

vav.link/tc-usbcser-bl



Black USB 2.0 to 9-Pin RS-232 Serial Adaptor

TC-USBSER / SAP: 3265219

Converts a USB port on a computer into a 9-pin serial port for RS-232 control applications.

vav.link/tc-usbser



White VGA Cable

Plugs into the VGA socket on your computer - which is often blue - and connects to a display device at the other end.

For VGA cables pre-terminated for Vision's Techconnect Modular Faceplate click [here](#).

1m (3.2ft)

TC 1MVGAP / SAP: 3546047

vav.link/tc_1mvgap

3m (9.8ft)

TC 3MVGAP / SAP: 3265175

vav.link/tc_3mvgap

10m (32.8ft)

TC 10MVGAP / SAP: 3480006

vav.link/tc_10mvgap

20m (65.6ft)

TC 20MVGAP / SAP: 3480008

vav.link/tc_20mvgap

2m (6.5ft)

TC 2MVGAP / SAP: 3265174

vav.link/tc_2mvgap

5m (16.4ft)

TC 5MVGAP / SAP: 3265176

vav.link/tc_5mvgap

15m (49.2ft)

TC 15MVGAP / SAP: 3480007

vav.link/tc_15mvgap

White VGA to Phoenix Cable

A moulded connector on one end, and a male phoenix connector on the other end which can be plugged directly into the rear of module.



3m (9.8ft)
TC2 3MVGA / SAP: 3000667

10m (33 ft)
TC2 10MVGA / SAP: 1461166
vav.link/tc2_10mvga

20m (65.6ft)
TC2 20MVGA / SAP: 1461174
vav.link/tc2_20mvga

5m (16 ft)
TC2 5MVGA / SAP: 2042118
vav.link/tc2_5mvga

15m (49.2ft)
TC2 15MVGA / SAP: 1461168
vav.link/tc2_15mvga

Black VGA Cable

Plugs into the VGA socket on your computer - which is often blue - and connects to a display device at the other end.

For VGA cables pre-terminated for Vision's Techconnect Modular Faceplate click [here](#).



1m (3.2ft)
TC 1MVGAP/BL / SAP: 4911609
vav.link/tc_1mvgap-bl

3m (9.8ft)
TC 3MVGAP/BL / SAP: 4911611
vav.link/tc_3mvgap-bl

10m (32.8ft)
TC 10MVGAP/BL / SAP: 4911613
vav.link/tc_10mvgap-bl

2m (6.5ft)
TC 2MVGAP/BL / SAP: 4911610
vav.link/tc_2mvgap-bl

5m (16.4ft)
TC 5MVGAP/BL / SAP: 4911612
vav.link/tc_5mvgap-bl

15m (49.2ft)
TC 15MVGAP/BL / SAP: 4911614
vav.link/tc_15mvgap-bl

Black Mini-DisplayPort to VGA Adaptor

TC-MDPVGA/BL / SAP: 4979356

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-mdpvga-bl



White DisplayPort to VGA Adaptor

TC-DPVGA / SAP: 4507453

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-dpvga



VGA Cables & Adaptors



Black DisplayPort to VGA Adaptor

TC-DPVGA/BL / SAP: 4979137

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-dpvga-bl



Black HDMI to VGA Adaptor

TC-HDMIVGA/BL / SAP: 4979146

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

vav.link/tc-hdmivga-bl



White HDMI to VGA Adaptor

TC-HDMIVGA / SAP: 4191274

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

vav.link/tc-hdmivga





Black USB-C to VGA Adaptor

TC-USBCVGA/BL / SAP: 4979135











Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbcvga-bl




Audio Cables

Product	Part Number	Info	Link
 White Minijack Cable 5m (16.4ft)	TC 5M3.5MMP	Colour: White Connector: Minijack (male) Length: 5m (16ft)	vav.link/tc_5m3-5mmp
 White Minijack Cable 10m (32.8ft)	TC 10M3.5MMP	Colour: White Connector: Minijack (male) Length: 10m (33ft)	vav.link/tc_10m3-5mmp









DisplayPort Cable & Adaptors

Product	Part Number	Info	Link
 White DisplayPort Cable 2m (6.6ft)	TC 2MDP	Colour: White Connector: DisplayPort (male) Length: 2m (7ft)	vav.link/tc_2mdp
 White 8K DisplayPort Cable 2m	TC 2MDP8K	Colour: White Connector: DisplayPort (male) Length: 2m (7ft)	vav.link/tc_2mdp8k
 Black 8K DisplayPort Cable 2m	TC 2MDP8K/BL	Colour: Black Connector: DisplayPort (male) Length: 2m (7ft)	vav.link/tc_2mdp8k-bl
 Black DisplayPort to HDMI Cable 1m (3.2ft)	TC 1MDPHDMI/BL	Colour: Black Connector: DisplayPort (male); HDMI (male) Length: 1m (3ft)	vav.link/tc_1mdphdmi-bl
 Black DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MDPHDMI/BL	Colour: Black Connector: DisplayPort (male); HDMI (male) Length: 2m (7ft)	vav.link/tc_2mdphdmi-bl
 Black DisplayPort to HDMI 8K Cable 2m	TC 2MDPHDMI8K/BL	Colour: Black Connector: DisplayPort (male); HDMI (male) Length: 2m (7ft)	vav.link/tc_2mdphdmi8k-bl
 Black USB-C to DP 8K Cable 2m	TC 2MUSBCDP8K/BL	Colour: Black Connector: USB-C (male); DisplayPort (male) Length: 2m (7ft)	vav.link/tc_2musbcdp8k-bl
 White DisplayPort to VGA Adaptor	TC-DPVGA	Colour: White Connector: DisplayPort (male); VGA (female) Length: 220mm (8.7")	vav.link/tc-dpvga
 Black Mini-DisplayPort to VGA Adaptor	TC-MDPVGA/BL	Colour: Black Connector: MiniDisplayPort (male); VGA (female) Length: 220mm (8.7")	vav.link/tc-mdpvga-bl
 Black DisplayPort to HDMI Adaptor	TC-DPHDMI/BL	Colour: Black Connector: DisplayPort (male); HDMI (female) Length: 225mm (8.9")	vav.link/tc-dphdmi-bl














DisplayPort Cable & Adaptors

Product	Part Number	Info	Link
 Black DisplayPort to 8K HDMI Adaptor	TC-DPHDMI8K/BL	Colour: Black Connector: DisplayPort (male); HDMI (female) Length: 225mm (8.9")	vav.link/tc-dphdmi8k-bl
 Black DisplayPort to VGA Adaptor	TC-DPVGA/BL	Colour: Black Connector: DisplayPort (male); VGA (female) Length: 220mm (8.7")	vav.link/tc-dpvga-bl
 Black Mini-DisplayPort to HDMI Adaptor	TC-MDPHDMI/BL	Colour: Black Connector: HDMI (female); MiniDisplayPort (male) Length: 225mm (8.9")	vav.link/tc-mdphdmi-bl











USB Cables & Adaptors

Product	Part Number	Info	Link
 White USB 2.0 Cable 2m	TC 2MUSB	Colour: White Connector: USB-A (male); USB-B (male) Length: 2m (7ft)	vav.link/tc_2musb
 Black USB 2.0 Cable 2m	TC 2MUSB/BL	Colour: Black Connector: USB-A (male); USB-B (male) Length: 2m (7ft)	vav.link/tc_2musb-bl
 White USB 2.0 Cable 3m (9.8ft)	TC2 3MUSB	Colour: White Connector: USB-A (male); USB-B (male) Length: 3m (10ft)	vav.link/tc2_3musb
 Black USB 2.0 Cable 3m (9.8ft)	TC 3MUSB/BL	Colour: Black Connector: USB-A (male); USB-B (male) Length: 3m (10ft)	vav.link/tc_3musb-bl
 White USB 2.0 Cable 5m	TC2 5MUSB	Colour: White Connector: USB-A (male); USB-B (male) Length: 5m (16ft)	vav.link/tc2_5musb
 Black USB 2.0 Cable 5m (16.4ft)	TC 5MUSB/BL	Colour: Black Connector: USB-A (male); USB-B (male) Length: 5m (16ft)	vav.link/tc_5musb-bl
 White USB 2.0 Cable 10m with active booster	TC 10MUSB+/2	Colour: White Connector: USB-A (male); USB-B (male) Length: 10m (33ft)	vav.link/tc_10musbplus-2
 Black USB 2.0 Cable 10m with active booster	TC 10MUSB+/BL/2	Colour: Black Connector: USB-A (male); USB-B (male) Length: 10m (33ft)	vav.link/tc_10musbplus-bl-2





USB Cables & Adaptors

Product	Part Number	Info	Link
	15m White USB 2.0 Cable with active booster	Colour: White Connector: USB-A (male); USB-B (male) Length: 15m (49ft)	vav.link/tc_15musbplus-2
	Black USB 3.0 Cable 2m	Colour: Black Connector: USB-A (male); USB-B (male) Length: 2m (7ft)	vav.link/tc_2musb3-0-bl
	Black USB 3.0 Cable 3m	Colour: Black Connector: USB-A (male); USB-B (male) Length: 2m (7ft)	vav.link/tc_3musb3-0-bl
	Black USB 2.0 Cable 5m with active booster	Colour: Black Connector: USB-A (male); USB-B (male) Length: 5m (16ft)	vav.link/tc_5musb3-0plus-bl
	Black USB 2.0 Cable 10m with active booster	Colour: Black Connector: USB-A (male); USB-B (male) Length: 10m (33ft)	vav.link/tc_10musb3-0plus-bl
	Black USB 2.0 Cable 15m with active booster	Colour: Black Connector: USB-A (male); USB-B (male) Length: 15m (49ft)	vav.link/tc_15musb3-0plus-bl
	Black USB 2.0 Extension Cable 2 m	Colour: Black Connector: USB-A (male); USB-A (female) Length: 2m (7ft)	vav.link/tc_2musbext-bl
	White USB 2.0 Extension Cable 5m (16.4ft) with active booster	Colour: White Connector: USB-A (male); USB-A (female) Length: 5m (16ft)	vav.link/tc_5musbextplus
	Black USB 2.0 Extension Cable 5m (16.4ft) with active booster	Colour: Black Connector: USB-A (male); USB-A (female) Length: 5m (16ft)	vav.link/tc_5musbextplus-bl
	Black USB 3.0 Extension Cable 2 m	Colour: Black Connector: USB-A (male); USB-A (female) Length: 2m (7ft)	vav.link/tc_2musb3-0ext-bl
	Black USB 3.0 Extension Cable 5 m	Colour: Black Connector: USB-A (male); USB-A (female) Length: 5m (16ft)	vav.link/tc_5musbext-bl
	White USB-C to USB 3.0A Cable 1m	Colour: White Connector: USB-C (male); USB-A (male) Length: 1m (3ft)	vav.link/tc_1musbca
	Black USB-C to USB 3.0A Cable 1m (3.2ft)	Colour: Black	vav.link/tc_1musbca-bl












USB Cables & Adaptors

Product	Part Number	Info	Link
		Connector: USB-C (male); USB-A (male) Length: 1m (3ft)	
	TC 2MUSBCA/BL	Colour: Black Connector: USB-C (male); USB-A (male) Length: 2m (7ft)	vav.link/tc_2musbca-bl
	TC 2MUSBETH/BL	Colour: Black Connector: RJ45 (male); USB-A (male) Length: 2m (7ft)	vav.link/tc_2musbeth-bl
	TC-USBC3A	Colour: White Connector: USB-C (male); USB-A (female)	vav.link/tc-usbc3a
	TC-USBC3A/BL	Colour: Black Connector: USB-C (male); USB-A (female)	vav.link/tc-usbc3a-bl
	TC-USB3AC/BL	Colour: Black Connector: USB-C (male); USB-A (female)	vav.link/tc-usb3ac-bl
	TC-USBHDMI	Colour: Black Connector: USB-A (male); HDMI (female) Length: 260mm (10")	vav.link/tc-usbhdmi
	TC-USBETH/BL	Colour: Black Connector: USB-A (male); RJ45 (female)	vav.link/tc-usbeth-bl
	TC-USBSER	Colour: Black Connector: Serial (male); USB-B (male) Length: 85 mm (3.4")	vav.link/tc-usbser
	TC-USBHUB4P	Colour: Black Connector: USB-A (male) Length: 300mm (12")	vav.link/tc-usbhub4p




CAT6 Ethernet Cables

Product	Part Number	Info	Link
	TC 0.5MCAT6A	Colour: White Connector: RJ45 (male) Length: 0.5m (1.6ft)	vav.link/tc_0-5mcat6a
	TC 1MCAT6A	Colour: White Connector: RJ45 (male) Length: 1m (3ft)	vav.link/tc_1mcat6a
	TC 2MCAT6A	Colour: White Connector: RJ45 (male) Length: 2m (7ft)	vav.link/tc_2mcat6a
	TC 3MCAT6	Colour: White Connector: RJ45 (male)	vav.link/tc_3mcat6














CAT6 Ethernet Cables

Product	Part Number	Info	Link
 White CAT6A Cable 3m	TC 3MCAT6A	Length: 3m (10ft)	
 White CAT6A Cable 5m	TC 5MCAT6A	Colour: White Connector: RJ45 (male) Length: 3m (10ft)	vav.link/tc_3mcat6a
 White CAT6A Cable 5m	TC 5MCAT6A	Colour: White Connector: RJ45 (male) Length: 5m (16ft)	vav.link/tc_5mcat6a
 Black CAT6 Cable 1m (3.2ft)	TC 1MCAT6/BL	Colour: Black Connector: RJ45 (male) Length: 1m (3ft)	vav.link/tc_1mcat6-bl
 Black CAT6A Cable 1m	TC 1MCAT6A/BL	Colour: Black Connector: RJ45 (male) Length: 1m (3ft)	vav.link/tc_1mcat6a-bl
 Black CAT6A Cable 2m	TC 2MCAT6A/BL	Colour: Black Connector: RJ45 (male) Length: 2m (7ft)	vav.link/tc_2mcat6a-bl
 Black CAT6A Cable 3m	TC 3MCAT6A/BL	Colour: Black Connector: RJ45 (male) Length: 3m (10ft)	vav.link/tc_3mcat6a-bl
 Black USB-C to RJ45 Ethernet Cable 2m	TC 2MUSBCETH/BL	Colour: Black Connector: USB-C (male); RJ45 (male) Length: 2m (7ft)	vav.link/tc_2musbceth-bl
 Black USB to RJ45 Ethernet Cable 2m	TC 2MUSBETH/BL	Colour: Black Connector: RJ45 (male); USB-A (male) Length: 2m (7ft)	vav.link/tc_2musbeth-bl
 Black USB-C to Ethernet Adaptor	TC-USBCETH/BL	Colour: Black Connector: USB-C (male); RJ45 (female) Length: 200mm (7.9")	vav.link/tc-usbceth-bl
 Black USB 3.0 to Ethernet Adaptor	TC-USBETH/BL	Colour: Black Connector: USB-A (male); RJ45 (female)	vav.link/tc-usbeth-bl





HDMI Cables & Adaptors

Product	Part Number	Info	Link
 Black HDMI 8K Cable 1m	TC 1MHDMI8K/BL	Colour: Black Connector: HDMI (male) Length: 1m (3ft)	vav.link/tc_1mhdm8k-bl
 Black DisplayPort to HDMI Cable 1m (3.2ft)	TC 1MDPHDMI/BL	Colour: Black Connector: DisplayPort (male); HDMI (male) Length: 1m (3ft)	vav.link/tc_1mdphdmi-bl
 Black DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MDPHDMI/BL	Colour: Black Connector: DisplayPort (male); HDMI (male) Length: 2m (7ft)	vav.link/tc_2mdphdmi-bl





HDMI Cables & Adaptors

Product		Part Number	Info	Link
	Black DisplayPort to HDMI 8K Cable 2m	TC 2MDPHDMI8K/BL	Colour: Black Connector: DisplayPort (male); HDMI (male) Length: 2m (7ft)	vav.link/tc_2mdphdmi8k-bl
	Black USB-C to HDMI 8K Cable 2m	TC 2MUSBCHDMI8K/BL	Colour: Black Connector: USB-C (male); HDMI (male) Length: 2m (7ft)	vav.link/tc_2musbchdmi8k-bl
	Black USB-C to HDMI 4K Cable 5m	TC 5MUSBCHDMI/BL	Colour: Black Connector: USB-C (male); HDMI (male) Length: 5m (16ft)	vav.link/tc_5musbchdmi-bl
	Black USB-C to HDMI 4K Cable 10m	TC 10MUSBCHDMI+/BL	Colour: Black Connector: USB-C (male); HDMI (male) Length: 10m (33ft)	vav.link/tc_10musbchdmiplus-bl
	Black USB-C to HDMI 4K Cable 15m	TC 15MUSBCHDMI+/BL	Colour: Black Connector: USB-C (male); HDMI (male) Length: 15m (49ft)	vav.link/tc_15musbchdmiplus-bl
	Black USB-C to HDMI 4K Cable 50m	TC 50MUSBCHDMI+/BL	Colour: Black Connector: USB-C (male); HDMI (male) Length: 50m (164ft)	vav.link/tc_50musbchdmiplus-bl
	White HDMI to VGA Adaptor	TC-HDMIVGA	Colour: White Connector: HDMI (male); VGA (female) Length: 230mm (9.1")	vav.link/tc-hdmivga
	White USB-C to HDMI Adaptor	TC-USBCHDMI	Colour: White Connector: USB-C (male); HDMI (female) Length: 200mm (7.9")	vav.link/tc-usbchdmi
	Black DisplayPort to HDMI Adaptor	TC-DPHDMI/BL	Colour: Black Connector: DisplayPort (male); HDMI (female) Length: 225mm (8.9")	vav.link/tc-dphdmi-bl
	Black DisplayPort to 8K HDMI Adaptor	TC-DPHDMI8K/BL	Colour: Black Connector: DisplayPort (male); HDMI (female) Length: 225mm (8.9")	vav.link/tc-dphdmi8k-bl
	Black HDMI to VGA Adaptor	TC-HDMIVGA/BL	Colour: Black Connector: HDMI (male); VGA (female) Length: 230mm (9.1")	vav.link/tc-hdmivga-bl
	Black Mini-DisplayPort to HDMI Adaptor	TC-MDPHDMI/BL	Colour: Black Connector: HDMI (female); MiniDisplayPort (male) Length: 225mm (8.9")	vav.link/tc-mdphdmi-bl
	Black USB-C to HDMI Adaptor	TC-USBCHDMI/BL	Colour: Black Connector: USB-C (male); HDMI (female)	vav.link/tc-usbchdmi-bl















HDMI Cables & Adaptors

Product	Part Number	Info	Link
	TC-USBCHDMI8K/BL	Length: 200mm (7.9")	
	TC-USBCDP8K/BL	Colour: Black Connector: USB-C (male); HDMI (female) Length: 200mm (7.9")	vav.link/tc-usbcdp8k-bl
	TC-USBHDMI	Colour: Black Connector: USB-A (male); HDMI (female) Length: 260mm (10")	vav.link/tc-usbhdm
	TC-USBCFF/BL	Colour: Black Connector: USB-C (female)	vav.link/tc-usbcff













USB-C Cables & Adaptors

Product	Part Number	Info	Link
	TC 1MUSBCA	Colour: White Connector: USB-C (male); USB-A (male) Length: 1m (3ft)	vav.link/tc_1musbca
	TC 2MUSBC	Colour: White Connector: USB-C (male) Length: 2m (7ft)	vav.link/tc_2musbc
	TC 2MUSBCEXT	Colour: White Connector: USB-C (male); USB-C (female) Length: 2m (7ft)	vav.link/tc_2musbcext
	TC 4MUSBC	Colour: White Connector: USB-C (male) Length: 4m (13ft)	vav.link/tc_4musbc
	TC 1MUSBCA/BL	Colour: Black Connector: USB-C (male); USB-A (male) Length: 1m (3ft)	vav.link/tc_1musbca-bl
	TC 2MUSBCA/BL	Colour: Black Connector: USB-C (male); USB-A (male) Length: 2m (7ft)	vav.link/tc_2musbca-bl
	TC 1MUSBC/BL	Colour: Black Connector: USB-C (male) Length: 1m (3ft)	vav.link/tc_1musbc-bl
	TC 2MUSBC/BL	Colour: Black Connector: USB-C (male) Length: 2m (7ft)	vav.link/tc_2musbc-bl



USB-C Cables & Adaptors

Product	Part Number	Info	Link
 2m Black USB-C Thunderbolt 4 Cable	TC 2MUSBCTB4/BL	Colour: Black Connector: USB-C Thunderbolt (male) Length: 2m (7ft)	vav.link/tc_2musbctb4-bl
 Black USB-C Cable 5m	TC 5MUSBC/BL	Colour: Black Connector: USB-C (male) Length: 5m (16ft)	vav.link/tc_5musbc-bl
 Black USB-C Cable 7m	TC 7MUSBC/BL	Colour: Black Connector: USB-C (male) Length: 7m (23ft)	vav.link/tc_7musbc-bl
 Black USB-C Cable 10m	TC 10MUSBC/BL	Colour: Black Connector: USB-C (male) Length: 10m (33ft)	vav.link/tc_10musbc-bl
 Black USB-C Cable 15m	TC 15MUSBC/BL	Colour: Black Connector: USB-C (male) Length: 15m (49ft)	vav.link/tc_15musbc-bl
 Black USB-C to HDMI 8K Cable 2m	TC 2MUSBCHDMI8K/BL	Colour: Black Connector: USB-C (male); HDMI (male) Length: 2m (7ft)	vav.link/tc_2musbchdmi8k-bl
 Black USB-C to HDMI 4K Cable 5m	TC 5MUSBCHDMI/BL	Colour: Black Connector: USB-C (male); HDMI (male) Length: 5m (16ft)	vav.link/tc_5musbchdmi-bl
 Black USB-C to HDMI 4K Cable 10m	TC 10MUSBCHDMI+/BL	Colour: Black Connector: USB-C (male); HDMI (male) Length: 10m (33ft)	vav.link/tc_10musbchdmiplus-bl
 Black USB-C to HDMI 4K Cable 15m	TC 15MUSBCHDMI+/BL	Colour: Black Connector: USB-C (male); HDMI (male) Length: 15m (49ft)	vav.link/tc_15musbchdmiplus-bl
 Black USB-C to HDMI 4K Cable 50m	TC 50MUSBCHDMI+/BL	Colour: Black Connector: USB-C (male); HDMI (male) Length: 50m (164ft)	vav.link/tc_50musbchdmiplus-bl
 Black USB-C to DP 8K Cable 2m	TC 2MUSBCDP8K/BL	Colour: Black Connector: USB-C (male); DisplayPort (male) Length: 2m (7ft)	vav.link/tc_2musbcdp8k-bl
 Black USB-C to RJ45 Ethernet Cable 2m	TC 2MUSBCETH/BL	Colour: Black Connector: USB-C (male); RJ45 (male) Length: 2m (7ft)	vav.link/tc_2musbceth-bl
 White USB-C to USB 3.0A Adaptor	TC-USBC3A	Colour: White Connector: USB-C (male); USB-A (female)	vav.link/tc-usbc3a
 White USB-C to HDMI Adaptor	TC-USBCHDMI	Colour: White Connector: USB-C (male); HDMI (female)	vav.link/tc-usbchdmi



USB-C Cables & Adaptors

Product	Part Number	Info	Link
	TC-USBC3A/BL	Length: 200mm (7.9")	
Black USB-C to USB 3.0A Adaptor	TC-USBC3A/BL	Colour: Black Connector: USB-C (male); USB-A (female)	vav.link/tc-usbc3a-bl
	TC-USBCETH/BL	Colour: Black Connector: USB-C (male); RJ45 (female) Length: 200mm (7.9")	vav.link/tc-usbceth-bl
Black USB-C to Ethernet Adaptor	TC-USBCETH/BL	Colour: Black Connector: USB-C (male); RJ45 (female) Length: 200mm (7.9")	vav.link/tc-usbceth-bl
	TC-USBCHDMI/BL	Colour: Black Connector: USB-C (male); HDMI (female) Length: 200mm (7.9")	vav.link/tc-usbchdmi-bl
Black USB-C to HDMI Adaptor	TC-USBCHDMI/BL	Colour: Black Connector: USB-C (male); HDMI (female) Length: 200mm (7.9")	vav.link/tc-usbchdmi-bl
	TC-USBCHDMI8K/BL	Colour: Black Connector: USB-C (male); HDMI (female) Length: 200mm (7.9")	vav.link/tc-usbchdmi8k-bl
Black USB-C to 8K HDMI Adaptor	TC-USBCHDMI8K/BL	Colour: Black Connector: USB-C (male); HDMI (female) Length: 200mm (7.9")	vav.link/tc-usbchdmi8k-bl
	TC-USBCDP8K/BL	Colour: Black Connector: USB-C (male); HDMI (female) Length: 200mm (7.9")	vav.link/tc-usbcdp8k-bl
Black USB-C to 8K DisplayPort Adaptor	TC-USBCDP8K/BL	Colour: Black Connector: USB-C (male); HDMI (female) Length: 200mm (7.9")	vav.link/tc-usbcdp8k-bl
	TC-USBCVGA/BL	Colour: Black Connector: USB-C (male); VGA (female) Length: 200mm (7.9")	vav.link/tc-usbcvga-bl
Black USB-C to VGA Adaptor	TC-USBCVGA/BL	Colour: Black Connector: USB-C (male); VGA (female) Length: 200mm (7.9")	vav.link/tc-usbcvga-bl
	TC-USB3AC/BL	Colour: Black Connector: USB-C (male); USB-A (female)	vav.link/tc-usb3ac-bl
USB-3.0A M to USB-C F Adaptor	TC-USB3AC/BL	Colour: Black Connector: USB-C (male); USB-A (female)	vav.link/tc-usb3ac-bl
	TC-USBCSER/BL		vav.link/tc-usbcser-bl
USB-C RS-232 Serial Adaptor	TC-USBCSER/BL		vav.link/tc-usbcser-bl
	TC-USBCW	Colour: Black Connector: USB-C (male) Length: 200mm (7.9")	vav.link/tc-usbcw
Wireless HDMI Display Presentation Set	TC-USBCW	Colour: Black Connector: USB-C (male) Length: 200mm (7.9")	vav.link/tc-usbcw
	TC-USBCHUB5P	Colour: Black Connector: HDMI (female); RJ45 (female); USB-A (female); USB-C (male); USB-C (female) Length: 300mm (12")	vav.link/tc-usbchub5p
USB-C Multiport Hub Black	TC-USBCHUB5P	Colour: Black Connector: HDMI (female); RJ45 (female); USB-A (female); USB-C (male); USB-C (female) Length: 300mm (12")	vav.link/tc-usbchub5p
	TC-PUSBCEU/30		vav.link/tc-pusbceu-30
USB-C 30W Charger with EU Plug	TC-PUSBCEU/30		vav.link/tc-pusbceu-30
	TC-PUSBEU/30		vav.link/tc-pusbeu-30
USB A and C 30W Charger with EU Plug	TC-PUSBEU/30		vav.link/tc-pusbeu-30
	TC-PUSBCEU/65		vav.link/tc-pusbceu-65
USB-C 65W Charger with EU Plug	TC-PUSBCEU/65		vav.link/tc-pusbceu-65
	TC-PUSBC/65		vav.link/tc-pusbc-65
USB-C 65W Charger with EU and UK Plugs	TC-PUSBC/65		vav.link/tc-pusbc-65



Power Cables

Product	Part Number	Info	Link
 3m Black EU Cloverleaf Power cabl	TC 3MEUCVLF/BL	Colour: Black Connector: Cloverleaf (C5); EU Power Length: 3m (10ft)	vav.link/tc_3meucvlf-bl
 3m Black UK Cloverleaf Power cable	TC 3MUKCVLF/BL	Colour: Black Connector: UK Power; Cloverleaf (C5) Length: 3m (10ft)	vav.link/tc_3mukcvlf-bl



Serial Cables & Adaptors



Product	Part Number	Info	Link
 Black USB 2.0 to 9-Pin RS-232 Serial Adaptor	TC-USBSER	Colour: Black Connector: Serial (male); USB-B (male) Length: 85 mm (3.4")	vav.link/tc-usbser
 USB-C RS-232 Serial Adaptor	TC-USBCSER/BL		vav.link/tc-usbcserser-bl

VGA Cables & Adaptors

Product	Part Number	Info	Link
 White VGA to Phoenix Cable 10m (33 ft)	TC2 10MVGA	Colour: White Connector: VGA (male) Length: 10m (33ft)	vav.link/tc2_10mvga
 White VGA Cable 3m (9.8ft)	TC 3MVGAP	Colour: White Connector: VGA (male) Length: 3m (10ft)	vav.link/tc_3mvgap
 White VGA Cable 10m (32.8ft)	TC 10MVGAP	Colour: White Connector: VGA (male) Length: 10m (33ft)	vav.link/tc_10mvgap
 Black VGA Cable 10m (32.8ft)	TC 10MVGAP/BL	Colour: Black Connector: VGA (male) Length: 10m (33ft)	vav.link/tc_10mvgap-bl
 White DisplayPort to VGA Adaptor	TC-DPVGA	Colour: White Connector: DisplayPort (male); VGA (female) Length: 220mm (8.7")	vav.link/tc-dpvga
 White HDMI to VGA Adaptor	TC-HDMIVGA	Colour: White Connector: HDMI (male); VGA (female) Length: 230mm (9.1")	vav.link/tc-hdmivga
 Black Mini-DisplayPort to VGA Adaptor	TC-MDPVGA/BL	Colour: Black Connector: MiniDisplayPort (male); VGA (female) Length: 220mm (8.7")	vav.link/tc-mdpvga-bl
 Black DisplayPort to VGA Adaptor	TC-DPVGA/BL	Colour: Black Connector: DisplayPort (male); VGA (female)	vav.link/tc-dpvga-bl

VGA Cables & Adaptors

Product	Part Number	Info	Link
	Black HDMI to VGA Adaptor	Length: 220mm (8.7")	
	Black USB-C to VGA Adaptor	Part Number: TC-HDMIVGA/BL Colour: Black Connector: HDMI (male); VGA (female) Length: 230mm (9.1")	vav.link/tc-hdmivga-bl
	Black USB-C to VGA Adaptor	Part Number: TC-USBCVGA/BL Colour: Black Connector: USB-C (male); VGA (female) Length: 200mm (7.9")	vav.link/tc-usbcvga-bl



Audio

- > Amplifiers
- > Active Loudspeakers
- > Passive Loudspeakers



2 x 25w Digital Amplifier

AV-1900 / SAP: 5557274

2 x 50w RMS (at 8 ohms) low impedance digital power amplifier

Input 1: Line-level Stereo (2-Phono/RCA) or Mic (XLR)

Input 2: Line-level Stereo (2-Phono/RCA) or Mic (Phoenix)

Input 3: Bluetooth or Mic (Phoenix)

Input 4: Line-level Stereo (Minijack) or Mic (Phoenix)

1 x Line-level Pre-Output

Balanced Mic inputs with Phantom Power

RS-232 control

vav.link/av-1900



TC3 50w Amplifier

TC3-AMP / SAP: 3446595

Extremely small 2 x 25 w (RMS) at 8 ohms Digital Amp

2 x Stereo inputs (Input 1 duplicated on front and rear)

IR Remote control included

vav.link/tc3-amp



TC3 50w Amplifier with Speakers

TC3-AMP+ / SAP: 8468232

Extremely small 2 x 25 w (RMS) at 8 ohms Digital Amp

2 x Stereo inputs (Input 1 duplicated on front and rear)

IR Remote control included

Pair of 5.25" loudspeakers included

vav.link/tc3-ampplus

Active Loudspeakers



100w Active Soundbar Plus

SB-1900P / SAP: 4801694

Built-in 2 x 90 watts (PEAK) amplifier
HDMI 2 in 1 out
1 x Minijack input
Bluetooth input (re-nameable and pin can be set)
Remote control included
RS-232
ARC HDMI Input (allows display to control volume)

vav.link/sb-1900p



Pair 70w Active Bluetooth Ceiling Speakers

CS-1900P / SAP: 4883105

Integrated 2 x 35 watt (RMS) amplifier
1 x wired input / 1 x Bluetooth input
Switches between stand alone or daisy-chain mode
IR remote included
BT can be disabled

vav.link/cs-1900p



Pair 30w Active Loudspeakers

SP-900P / SAP: 4820817

Built-in 2 x 27 watt digital amplifier
Two summed inputs (1 x Minijack / 1 x 2-Phono)
Internal Power Supply
Adjustable wall brackets included

vav.link/sp-900p

Active Loudspeakers



Lifetime
warranty



Pair 30w Active Loudspeakers

SP-1900P / SAP: 4991366

Built-in 2 x 30 watts amplifier
Line-level input via 2-phono (RCA)
Bluetooth 5.0 (can be disabled)
RS-232 Control
Tone control (via RS-232)

vav.link/sp-1900p

Passive Speakers




Pair 3-Way Wall Loudspeakers

SP-1800 / SAP: 3635038

5.25" Woofer 50w loudspeakers
Wall brackets included with 60° range of tilt adjustment
White, sold in pairs

vav.link/sp-1800








Pair Ceiling Loudspeakers



CS-1900 / SAP: 4815044

Slim bezel-less magnetic grille
Premium fiberglass woven 6.5" Woofer
Large 0.75" Silk Tweeter
Passive Crossover

vav.link/cs-1900

Audio

Product	Part Number	Link
 2 x 25w Digital Amplifier	AV-1900	vav.link/av-1900
 100w Active Soundbar Plus	SB-1900P	vav.link/sb-1900p
 Pair 30w Active Loudspeakers	SP-900P	vav.link/sp-900p
 Pair 3-Way Wall Loudspeakers	SP-1800	vav.link/sp-1800
 Pair 30w Active Loudspeakers	SP-1900P	vav.link/sp-1900p
 Pair Ceiling Loudspeakers	CS-1900	vav.link/cs-1900
 Pair 70w Active Bluetooth Ceiling Speakers	CS-1900P	vav.link/cs-1900p
 TC3 50w Amplifier	TC3-AMP	vav.link/tc3-amp
 TC3 50w Amplifier with Speakers	TC3-AMP+	vav.link/tc3-ampplus



Mounts

- > Projector
- > Monitor
- > Large Display
- > Sit-Stand
- > Laptop Shelves
- > Logitech



Mount Finder

Simply enter some or all of your Display, Monitor or Device model number to find the correct mount.

vav.link/mf



Universal Projector Ceiling Mount

TM-1200 / SAP: 1562435

Projector ceiling mount with 1.1m pole cut to length onsite (overall length 1420mm / 55.9")

All parts included e.g drilling jig, cathedral ceiling mechanism, trim disc etc.
Cables can be routed after assembly

vav.link/tm-1200



TM-1200 Bracket 1m Extension Pole

TM-1200 EXTIM / SAP: 1562436



Telescopic Projector Ceiling Mount

TM-TELE / SAP: 2418655

Universal projector ceiling mount with telescopic pole

Overall length 440-735 mm

Tilt adjustment at top for sloping ceilings

Pitch and roll adjustment at bottom

Webcam adaptor included

vav.link/tm-tele

Close-Coupled Projector Ceiling Mount

TM-CC / SAP: 1932372



Universal projector ceiling mount for close-to-ceiling installation
All parts included and arrives 95% assembled reducing time onsite
4 fully adjustable spider arms fit 99% of projectors

vav.link/tm-cc

Short-Throw Projector Wall Mount

TM-ST2 / SAP: 2775928



Telescopic boom 930-1530mm (centre-of-projector to wall)
Projector can be mounted at any point along boom
Adjustable boom incline

vav.link/tm-st2

Desk Arm Mounts



Lifetime warranty



Monitor Desk Arm Matt Black

VFM-DA/4 / SAP: 5811699

Double-articulated desk mount for flat panels up to 32"
Converts to laptop or tablet shelf
VESA plate cover included
Cable management
Comes with clamp and grommet fixing options

vav.link/vfm-da-4



Monitor Desk Arm Dual Matt Black

VFM-DAD/4 / SAP: 5812011

Double-articulated desk mount for flat panels up to 27"
Converts to laptop or tablet shelf
VESA plate cover included
Cable management
Comes with clamp and grommet fixing options

vav.link/vfm-dad-4



Mini PC VESA Mount Black

VFM-PC / SAP: 11546734

Accommodates mini-PCs from 17 - 70 mm thick
Fixes under desks
Or clamps to desk mount poles
Or fixes to display mount, between VESA plate and back of display

vav.link/vfm-pc

Desk Post Mounts



Black Monitor Desk Post 100×100

VFM-DP2B / SAP: 4740217

Double-articulated desk mount for displays up to 34"
Popular post-style in Black
Parts included for grommet or clamp fixing to desk
Optional Laptop Shelf
Quick release VESA plate
Thumbscrews for fast assembly

vav.link/vfm-dp2b



Black Monitor Desk Post 100×100 Dual

VFM-DPD2B / SAP: 4740219

Double-articulated dual desk mount for displays up to 27"
Popular post-style in Black
Parts included for grommet or clamp fixing to desk
Optional Laptop Shelf
Quick release VESA plate
Thumbscrews for fast assembly
Fine independent height adjustment

vav.link/vfm-dpd2b

Desk Stand Mounts



Lifetime
warranty



Monitor Desk Stand 100×100

VFM-DSB / SAP: 4740100

Freestanding desk stand for displays up to 32"
Black (only)
Full adjustment: height, rotation, swivel
Quick release VESA plate
Thumbscrews for fast assembly

vav.link/vfm-dsb



Monitor Desk Stand 100×100 Dual

VFM-DSDB / SAP: 4740212

Freestanding desk stand for two displays up to 32"
Black (only)
Full adjustment: height, rotation, swivel
Quick release VESA plate
Thumbscrews for fast assembly
Fine independent height adjustment

vav.link/vfm-dsdb



Black Flat-Panel Desk Stand Express 600x400

VFM-DSXP / SAP: 11521261

Express Desk stand for flat panels from 37" to 65"
Video Bar Shelf
Cable-management and Mini PC stowage in column
Table clamp included

vav.link/vfm-dsxp

Large Display Mounts



Display Wall Mount VESA 400x400

VFM-W4X4V/2 / SAP: 6333305

Non-tilting Wall Mount for large-format flat panels 32-65"
(subject to VESA pattern and weight limit)

Mounting points up to 400 (wide) x 400 mm (tall) apart

Light Duty 60 kg / 132 lb SWL

Lockable

vav.link/vfm-w4x4v-2



Display Wall Mount VESA 400x400

VFM-W4X4TV/2 / SAP: 6333311


Tilting Wall Mount for large-format flat panels 32-65"
(subject to VESA pattern and weight limit)

Mounting points up to 400 (wide) x 400 mm (tall) apart

Light Duty 60 kg / 132 lb SWL

Lockable

vav.link/vfm-w4x4tv-2



Display Wall Mount VESA 600x400

VFM-W6X4V/2 / SAP: 6333312

Non-tilting Wall Mount for large-format flat panels 37-70"
(subject to VESA pattern and weight limit)

Mounting points up to 600 (wide) x 400 mm (tall) apart

Light Duty 60 kg / 132 lb SWL

Lockable

vav.link/vfm-w6x4v-2

Large Display Mounts



Lifetime warranty



Display Wall Mount VESA 800x400

VFM-W8X4V/2 / SAP: 6333313

Non-tilting Wall Mount for large-format flat panels 47-75"
(subject to VESA pattern and weight limit)

Mounting points up to 800 (wide) x 400 mm (tall) apart

Light Duty 60 kg / 132 lb SWL

Lockable

vav.link/vfm-w8x4v-2



F50 Dual Display Rail

VFM-F50_DL / SAP: 8271291

Works with Vision's professional wall mounts and floor stands

2400 mm (95") long

Can fix directly to wall

Includes adjustable centre shelf

vav.link/vfm-f50_dl



Floor to Ceiling Display Column

VFM-POST / SAP: 9749523

Architectural aluminium profile

Works with Vision's heavy duty wall mounts (not included)

3000 mm (118") tall

Cable management channel

vav.link/vfm-post

Large Display Mounts



Lifetime
warranty



Digital Signage Fixed Floor Stand

VFM-F1 / SAP: 11804295

Fixed floor stand for large-format flat panels 55-85"
(subject to VESA pattern and weight limit)
Mounting points up to 600 (wide) x 400 mm (tall) apart
SWL 80 kg / 176 lb
1500 mm (59") tall
Cable management channel

vav.link/vfm-f1



Freestanding Display Floor Stand

VFM-F4 / SAP: 12258272

Freestanding Display Floor stand 30-65"
(subject to VESA pattern and weight limit)
Mounting points up to 400 x 400 mm apart
SWL 30 kg / 66 lb
1500 mm (59") tall
Portrait or Landscape
Cable management

vav.link/vfm-f4



Flat-Panel Wall Mount 200x200

VFM-W2X2V2 / SAP: 4754702

VESA Wall Mount for displays and TVs
Fits displays with 75 x 75, 100 x 100, 200 x 100, and 200 x 200mm mounting holes
For 30-55" Displays
(subject to VESA pattern and weight limit)
Locking anti-theft screw
Thumbscrews for fixing display
Portrait or Landscape

vav.link/vfm-w2x2v2

Large Display Mounts



Tilting Flat-Panel Wall Mount 200x200

VFM-W2X2TV2 / SAP: 4754704

VESA Wall Mount for displays and TVs
For display size 30" - 55"
Locking anti-theft screw
Tilt adjustment: up: 3° / down: 12°
Thumbscrews for fixing display
Portrait or Landscape

vav.link/vfm-w2x2tv2



Heavy Duty Flat-Panel Wall Mount 400x400

VFM-W4X4 / SAP: 4934292

Non-Tilting Wall Mount for large-format flat panels 32-75"
(subject to VESA pattern and weight limit)
Mounting points up to 400 (wide) x 400 mm (tall) apart
Heavy duty 100 kg / 220 lb SWL
Display latches in place
Optional camera shelf

vav.link/vfm-w4x4



Heavy Duty Tilting Flat-Panel Wall Mount 400x400

VFM-W4X4T / SAP: 4934293


Tilting Wall Mount for large-format flat panels 32-75"
(subject to VESA pattern and weight limit)
Mounting points up to 400 (wide) x 400 mm (tall) apart
Heavy duty 100 kg / 220 lb SWL
Display latches in place
Optional camera shelf

vav.link/vfm-w4x4t

Large Display Mounts



Lifetime warranty



Heavy Duty Flat-Panel Wall Mount 600x400

VFM-W6X4 / SAP: 4996384

Non-tilting Wall Mount for large-format flat panels 37-85"
(subject to VESA pattern and weight limit)


Mounting points up to 600 (wide) x 400 mm (tall) apart

Heavy duty 100 kg / 220 lb SWL

Display latches in place

Optional camera shelf

vav.link/vfm-w6x4



Heavy Duty Tilting Flat-Panel Wall Mount 600x400

VFM-W6X4T / SAP: 4996386

Tilting Wall Mount for large-format flat panels 37-85"
(subject to VESA pattern and weight limit)

Mounting points up to 600 (wide) x 400 mm (tall) apart

Heavy duty 100 kg / 220 lb SWL

Display latches in place

Optional camera shelf

vav.link/vfm-w6x4t



Heavy Duty Flat-Panel Wall Mount 800x600

VFM-W8X6 / SAP: 4934295

Non-tilting Wall Mount for large-format flat panels 47-100"
(subject to VESA pattern and weight limit)

Mounting points up to 800 (wide) x 600 mm (tall) apart

Heavy duty 130 kg / 287 lb SWL

Display latches in place

Optional camera shelf

vav.link/vfm-w8x6

Large Display Mounts



Lifetime
warranty




Heavy Duty Tilting Flat-Panel Wall Mount 800x600

VFM-W8X6T / SAP: 4934296

Tilting Wall Mount for large-format flat panels 47-90"
(subject to VESA pattern and weight limit)
Mounting points up to 800 (wide) x 600 mm (tall) apart
Heavy duty 130 kg / 287 lb SWL
Display latches in place
Optional camera shelf

vav.link/vfm-w8x6t



Heavy Duty Flat-Panel Wall Mount 1000x600

VFM-W10X6 / SAP: 4934297

Non-tilting Wall Mount for large-format flat panels 55-115"
(subject to VESA pattern and weight limit)
Mounting points up to 1000 (wide) x 600 mm (tall) apart
Heavy duty 130 kg / 287 lb SWL
Display latches in place
Optional camera shelf

vav.link/vfm-w10x6




Video Conference Shelf

VFM-WVC/2 / SAP: 8271288

Works with Vision's professional wall mounts and floor stands
Highly adjustable
Platform 284 x 152 mm (11.2"x 6.0")

vav.link/vfm-wvc-2



Black Monitor Wall Arm 100x100

VFM-WA1X1B / SAP: 4963686

Double-articulated wall mount for Monitors from 13" to 27"

Post-Installation levelling

Reach 44-282 mm (1.7-11.1")

Thumbscrews for fixing display

vav.link/vfm-wa1x1b



Video Wall Mount VESA 600x400

VFM-VW6X4/2 / SAP: 7296546

Wall Mount for displays with mounting points up to 600 x 400mm apart
Pop-out style for fast access and adjustment
Tool-free tilt, rotation, depth, and height adjustment
Displays 45-86"
Lockable

vav.link/vfm-vw6x4-2

F10 Floorstands



Lifetime
warranty



White Flipchart-Style Floor Stand

VFM-F10/WH / SAP: 5252503

Portable flipchart-style floor stand
For 50-65" Displays up to 45 kg
(subject to VESA pattern and weight limit)
Rotates portrait to landscape
UL1678 Approved
Large 4" wheels
Colour-Matched to Samsung Flip

vav.link/vfm-f10-wh




Lifetime warranty



Floorstand


Microsoft Hub 2



Screen rotation



2 cable hooks



Cable management



Removable laptop shelf



4 large wheels



Available colors



Does Vision have any floor stands for Hub 2?

Yes! The VFM-F10 was designed for Hub 2 compatibility.

Does the standard VFM-F10 fit Hub2?

Yes! Hub2 uses a 350 x 350 pattern which the universal mount on the F10 fits.

Does it rotate?

Yes. The universal VESA mount rotates. The rotating mechanism can be removed.

Does it tilt?

Not as standard, but the VESA arms can be replaced with arms from Vision's VFM-W4X4T to make it tilt if necessary.

As standard, this floor stand holds the display at a 7 degree angle. That is more upright than the 12 degrees of the Steelcase stand. We think 7 degrees is better to cut glare.

Does it have cable management?

Yes. Cables can be concealed all the way down the legs, and hold the cables so they don't get in the way of the wheels as you move the stand.

Can the APC battery fix to this floor stand?

We're working on an adaptor to support this. ETA early 2020.

Is the shelf detachable?

Yes. If the user doesn't want it just leave it off.


Does Vision have a wall mount for Hub 2?

Yes. VFM-W4X4. It's the same universal mount that comes on the F10 as standard.

F50/F51 Floorstands



Lifetime warranty



F50 Motorised Flat Panel Floor Stand

VFM-F50 / SAP: 6369811

Heavy-duty floor stand
Fixes to wall, transfers load to floor
For flat panels up to 100"
800 mm (31.5") height adjustment, motorised
Control by wired controller or RS-232

vav.link/vfm-f50




F50T Motorised Trolley Floor stand

VFM-F50T / SAP: 6369810

Portable heavy-duty mobile cart
For flat panels up to 100"
800 mm (31.5") height adjustment, motorised
Control by wired controller or RS-232
Angle brackets for optional kiosk-style installation
Removable wheels for non-portable variation
Removable rear legs to lean against walls

vav.link/vfm-f50t



F51 Flat Panel Floor Stand

VFM-F51 / SAP: 6369808

Heavy-duty floor stand
Fixes to wall, transfers load to floor
Supports up to 95 kg (209 lb)
800 mm / 31.5" height adjustment, non-motorised
[Note: once installed the height cannot be adjusted]

vav.link/vfm-f51

F50/F51 Floorstands













F51T Flat Panel Trolley

VFM-F51T / SAP: 6369807




Portable heavy-duty mobile cart
For large-format flat panels 47-100"
800 mm / 31.5" height adjustment, non-motorised
[Note: once installed the height cannot be adjusted]
Angle brackets for optional kiosk-style installation
Removable wheels for non-portable variation
Removable rear legs to lean against walls

vav.link/vfm-f51t

Monitor

Product	Part Number	Info	Link
 Black Flat-Panel Desk Stand Express 600x400	VFM-DSXP	Diagonal: 37" - 60" SWL: 25kg Vesa: 200x200; 300x300; 400x200; 600x400; 400x400; 200x100	vav.link/vfm-dsxp
 Monitor Desk Arm Matt Black	VFM-DA/4	Diagonal: 10" - 32" SWL: 7kg Vesa: 75x75; 100x100	vav.link/vfm-da-4
 Monitor Desk Arm Dual Matt Black	VFM-DAD/4	Diagonal: 17" - 27" SWL: 14kg Vesa: 75x75; 100x100	vav.link/vfm-dad-4
 Black Monitor Desk Post 100x100	VFM-DP2B	Diagonal: 13" - 34" SWL: 8kg Vesa: 75x75; 100x100	vav.link/vfm-dp2b
 Black Monitor Desk Post 100x100 Dual	VFM-DPD2B	Diagonal: 13" - 27" SWL: 8kg Vesa: 75x75; 100x100	vav.link/vfm-dpd2b
 Monitor Desk Stand 100x100	VFM-DSB	Diagonal: 13" - 32" SWL: 18kg Vesa: 75x75; 100x100	vav.link/vfm-dsb
 Monitor Desk Stand 100x100 Dual	VFM-DSDB	Diagonal: 13" - 32" SWL: 8kg Vesa: 75x75; 100x100	vav.link/vfm-dsdb
 Mini PC VESA Mount Black	VFM-PC	SWL: 5kg Vesa: 75x75; 100x100	vav.link/vfm-pc
 Tilting Monitor Wall Mount 100x100	VFM-WIX1TV2	Diagonal: 10" - 34" SWL: 25kg Vesa: 75x75; 100x100	vav.link/vfm-wix1tv2
 Black Monitor Wall Arm 100x100	VFM-WA1X1B	Diagonal: 13" - 27" SWL: 15kg Vesa: 75x75; 100x100	vav.link/vfm-wa1x1b

Large Display

Product	Part Number	Info	Link
 Dsply Wall Arm VESA 200x200 Black	VFM-WA2X2/3	Diagonal: 20" - 50" SWL: 25kg Vesa: 100x100; 200x200; 200x100; 150x200	vav.link/vfm-wa2x2-3
 Display Wall Mount VESA 400x400	VFM-W4X4V/2	Diagonal: 32" - 55" SWL: 60kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 300x400; 400x400; 200x300	vav.link/vfm-w4x4v-2
 Display Wall Mount VESA 400x400	VFM-W4X4TV/2	Diagonal: 32" - 55" SWL: 60kg	vav.link/vfm-w4x4tv-2


Large Display

Product	Part Number	Info	Link	
	Display Wall Mount VESA 600x400	VFM-W6X4V/2	Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 300x400; 400x400; 200x300; 150x200 Diagonal: 37" - 70" SWL: 60kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 400x400; 500x400; 600x300; 500x300; 800x300	vav.link/vfm-w6x4v-2
	Black Flat-Panel Wall Arm 600x400	VFM-WA6X4/3	Diagonal: 42" - 70" SWL: 30kg Vesa: 200x200; 300x300; 400x200; 600x400; 400x400; 200x100	vav.link/vfm-wa6x4-3
	Display Wall Mount VESA 800x400	VFM-W8X4V/2	Diagonal: 47" - 75" SWL: 75kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 400x400; 500x400; 600x300; 500x300; 800x300; 700x400	vav.link/vfm-w8x4v-2
	F50 Dual Display Rail	VFM-F50_DL		vav.link/vfm-f50_dl
	Floor to Ceiling Display Column	VFM-POST		vav.link/vfm-post
	Digital Signage Fixed Floor Stand	VFM-F1	Diagonal: 55" - 85" SWL: 80kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 300x400; 400x400; 300x600; 300x500; 200x600; 600x300; 600x400	vav.link/vfm-f1
	Freestanding Display Floor Stand	VFM-F4	Diagonal: 30" - 65" SWL: 30kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 300x400; 400x400; 300x600; 300x500; 200x600	vav.link/vfm-f4
	Flat-Panel Ceiling Mount 100x100	VFM-C1X1/2	Diagonal: 10" - 34" SWL: 25kg Vesa: 100x100	vav.link/vfm-c1x1-2
	Flat-Panel Ceiling Mount 200x200	VFM-C2X2/2	Diagonal: 32" - 50" SWL: 25kg Vesa: 100x100; 200x200; 200x100; 200x200; 150x200	vav.link/vfm-c2x2-2
	Ceiling Mount for LFD 600x400	VFM-C6X4/V2	Diagonal: 32" - 75" SWL: 50kg Vesa: 100x100; 200x200; 300x300; 400x300; 600x400; 300x400; 400x400; 200x100; 500x400; 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 400x400; 500x400; 600x300; 500x300	vav.link/vfm-c6x4-v2
	Flat-Panel Wall Mount 200x200	VFM-W2X2V2	Diagonal: 20" - 50" SWL: 25kg	vav.link/vfm-w2x2v2


Large Display

Product	Part Number	Info	Link
		Vesa: 75x75; 100x100; 200x200; 200x100	
	Tilting Flat-Panel Wall Mount 200x200	VFM-W2X2TV2 Diagonal: 20" - 50" SWL: 25kg Vesa: 75x75; 100x100; 200x200; 200x100	vav.link/vfm-w2x2tv2
	Heavy Duty Flat-Panel Wall Mount 400x400	VFM-W4X4 Diagonal: 32" - 75" SWL: 100kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 350x350; 300x400; 400x400; 200x300; 150x200	vav.link/vfm-w4x4
	Heavy Duty Tilting Flat-Panel Wall Mount 400x400	VFM-W4X4T Diagonal: 32" - 75" SWL: 100kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 350x350; 300x400; 400x400; 200x300; 150x200	vav.link/vfm-w4x4t
	Heavy Duty Flat-Panel Wall Mount 600x400	VFM-W6X4 Diagonal: 37" - 85" SWL: 100kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 500x500; 600x400; 300x400; 400x400; 500x400; 600x300; 500x300	vav.link/vfm-w6x4
	Heavy Duty Tilting Flat-Panel Wall Mount 600x400	VFM-W6X4T Diagonal: 37" - 85" SWL: 100kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 500x500; 600x400; 300x400; 400x400; 500x400; 600x300; 500x300	vav.link/vfm-w6x4t
	Heavy Duty Flat-Panel Wall Mount 800x600	VFM-W8X6 Diagonal: 47" - 100" SWL: 130kg Vesa: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 700x400	vav.link/vfm-w8x6
	Heavy Duty Tilting Flat-Panel Wall Mount 800x600	VFM-W8X6T Diagonal: 47" - 90" SWL: 130kg Vesa: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 700x400	vav.link/vfm-w8x6t
	Heavy Duty Flat-Panel Wall Mount 1000x600	VFM-W10X6 Diagonal: 55" - 110" SWL: 130kg Vesa: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 1000x400; 1000x500; 1000x600; 400x400; 500x400; 600x500; 400x600; 700x400; 900x600; 850x400	vav.link/vfm-w10x6
	Video Conference Shelf	VFM-WVC/2	vav.link/vfm-wvc-2




Large Display

Product	Part Number	Info	Link
 Black Flat-Panel Wall Arm 400x400	VFM-WA4X4/3	Diagonal: 37" - 60" SWL: 25kg Vesa: 100x100; 200x200; 300x300; 400x200; 400x300; 400x400; 200x100; 300x200; 400x100	vav.link/vfm-wa4x4-3




Video Wall

Product	Part Number	Info	Link
 Video Wall Mount VESA 600x400	VFM-VW6X4/2	Diagonal: 45" - 86" SWL: 70kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 400x400; 500x400	vav.link/vfm-vw6x4-2

Projector

Product	Part Number	Info	Link
 Universal Projector Ceiling Mount	TM-1200		vav.link/tm-1200
 TM-1200 Bracket 1m Extension Pole	TM-1200 EXT1M		vav.link/tm-1200
 Telescopic Projector Ceiling Mount	TM-TELE		vav.link/tm-tele
 Close-Coupled Projector Ceiling Mount	TM-CC		vav.link/tm-cc
 Short-Throw Projector Wall Mount	TM-ST2		vav.link/tm-st2

Floorstands

Product	Part Number	Info	Link
 White Flipchart-Style Floor Stand	VFM-F10/WH	Diagonal: 50" - 55" SWL: 45kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 350x350; 300x400; 400x400	vav.link/vfm-f10-wh
 Flipchart-Style Stand for Hub2	VFM-F10/HB	Vesa: 200x200; 200x400; 350x350; 300x400; 300x200; 400x200; 400x300; 400x400	vav.link/vfm-f10-hb
 Display Easel Trolley 100kg	VFM-F12	Diagonal: 55" - 100" SWL: 100kg Vesa: 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 800x600; 400x400; 500x400; 400x600; 300x300; 400x200; 400x300; 500x500; 600x400; 300x400;	vav.link/vfm-f12

Floorstands

Product	Part Number	Info	Link	
		800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 700x400; 900x600; 850x400		
	Motorised Display Cart 60kg	VFM-F15M	Diagonal: 40" - 86" SWL: 60kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 800x600; 400x400; 500x400; 400x600	vav.link/vfm-f15m
	Height-Adjustable Display Cart 50 kg	VFM-F19	Diagonal: 31" - 80" SWL: 50kg Vesa: 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 400x400; 200x200; 350x350	vav.link/vfm-f19
	Height-Adjustable Steel Display Cart 50kg	VFM-F21	Diagonal: 31" - 80" SWL: 50kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 350x350; 300x400; 400x400	vav.link/vfm-f21
	Height-Adjustable Aluminium Display Cart 60kg	VFM-F22	Diagonal: 31" - 80" SWL: 60kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 350x350; 300x400; 400x400	vav.link/vfm-f22
	Height-Adjustable Display Cart 80kg	VFM-F26	Diagonal: 55" - 100" SWL: 80kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 800x600; 400x400; 500x400; 400x600	vav.link/vfm-f26
	Height-Adjustable Display Floor Stand 80kg	VFM-F26W	Diagonal: 55" - 100" SWL: 80kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 800x600; 400x400; 500x400; 400x600	vav.link/vfm-f26w
	Motorised Display Cart 80kg	VFM-F26M	Diagonal: 55" - 100" SWL: 80kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 800x600; 400x400; 500x400; 400x600	vav.link/vfm-f26m
	Height-Adjustable Aluminium Display Cart 90kg	VFM-F27	Diagonal: 55" - 100" SWL: 90kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 800x600; 400x400; 500x400; 400x600	vav.link/vfm-f27
	F50 Motorised Flat Panel Floor Stand	VFM-F50	Diagonal: 47" - 100" SWL: 95kg Vesa: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600;	vav.link/vfm-f50

Floorstands

Product	Part Number	Info	Link
		400x400; 500x400; 600x500; 400x600; 200x200; 100x100	
	F50T Motorised Trolley Floor stand	VFM-F50T Diagonal: 47" - 100" SWL: 110kg Vesa: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 200x200; 100x100	vav.link/vfm-f50t
	F50 Dual Display Rail	VFM-F50_DL	vav.link/vfm-f50_dl
	F51T Flat Panel Trolley	VFM-F51T Diagonal: 47" - 100" SWL: 95kg Vesa: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 100x100; 200x200	vav.link/vfm-f51t
	Floor to Ceiling Display Column	VFM-POST	vav.link/vfm-post
	Digital Signage Fixed Floor Stand	VFM-F1 Diagonal: 55" - 85" SWL: 80kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 300x400; 400x400; 300x600; 300x500; 200x600; 600x300; 600x400	vav.link/vfm-f1
	Freestanding Display Floor Stand	VFM-F4 Diagonal: 30" - 65" SWL: 30kg Vesa: 200x200; 300x300; 200x400; 400x200; 400x300; 300x400; 400x400; 300x600; 300x500; 200x600	vav.link/vfm-f4
	Video Conference Shelf	VFM-WVC/2	vav.link/vfm-wvc-2
	F51 Flat Panel Floor Stand	VFM-F51 Diagonal: 47" - 100" SWL: 95kg Vesa: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600; 100x100; 200x200	vav.link/vfm-f51

VISION

AV installation products

www.visionaudiovisual.com