



접수번호: 20150520 - 0003

전 기 용 품 안 전 인 증 서

Electrical Appliances Safety Certificate

안전인증번호:

HU10539-15024A

(Certificate No.) 제조업자명:

Shenzhen Fujia Appliance Co., Ltd.

(Manufacturer)

대표자명: Luo Ru Hua

(President)

제조공장의 주소: Building B1#, Xujingchang Technology Industrial Park, Haoye Road, (Factory Address)

Xinhe Village, Fuyong Town, Baoan District, Shenzhen City,

Guangdong Province, China

제품명:

직류전원장치

(Product) 기본모델명:

FJ-SW1261201000DK

(Basic Model) 정격:

100-240 V~,50/60 Hz,0.4 A; (O/P: 12 Vdc,1.0

(Rating)

파생모델명 (Series Model)

FJ-SW1260901000DK

FJ-SW1260901000UK

FJ-SW1260901200DK

FJ-SW1260901200UK

FJ-SW1260901300DK

FJ-SW1260901300UK

FJ-SW1260951000DK

FJ-SW1260951000UK

FJ-SW1261001000DK

적용기준: K60950-1(2.0)(2011-12)

(Standard)

FJ-SW1260901000DN FJ-SW1260901000UN FJ-SW1260901200DN FJ-SW1260901200UN FJ-SW1260901300DN FJ-SW1260901300UN FJ-SW1260951000DN

FJ-SW1260951000UN

이면기재

「전기용품안전 관리법 시행규칙」 제6조제2항에 따라 위의 전기용품에 대하여 안전인증서를 발급합니다. We issue this Electrical Appliances Safety Certificate for the above electrical appliance in accordance with the Article 6(2) of the Enforcement Rule of the Electrical Appliances Safety Control Act.



2015 년 6 월 18 일 (Year) (Month) (Day)

계전기전자시험연 Korea Testing Certification



※ 이 인증서는 「전기용품안전 관리법」에 따른 전기용품 안전성 확인에 한정된 것이며, 그 밖의 다른 법률이 적용되는 제품의 경우에는 해당 법률에 따라 추가로 인증·허가 등을 받아야 합니다.

첨부서류 1. 안전관리부품 및 재질목록 (List of Critical Components)

2. 기본모델 · 파생모델의 내용 (Descriptions of the basic and series model)

3. 전기용품 안전인증의 변경 현황 (Revisions Status)

FJ-SW1261001000DN FJ-SW1261001000UK FJ-SW1261001000UN FJ-SW1261051000DK FJ-SW1261051000DN FJ-SW1261051000UK FJ-SW1261051000UN FJ-SW1261101000DK FJ-SW1261101000DN FJ-SW1261101000UK FJ-SW1261101000UN FJ-SW1261151000DK FJ-SW1261151000DN FJ-SW1261151000UK FJ-SW1261151000UN FJ-SW1261200600DK FJ-SW1261200600DN FJ-SW1261200600UK FJ-SW1261200600UN FJ-SW1261200700DK FJ-SW1261200700DN FJ-SW1261200700UK FJ-SW1261200700UN FJ-SW1261200800DK FJ-SW1261200800DN FJ-SW1261200800UK FJ-SW1261200800UN FJ-SW1261201000DN FJ-SW1261201000UK FJ-SW1261201000UN FJ-SW1261250900DK FJ-SW1261250900DN FJ-SW1261250900UK FJ-SW1261250900UN FJ-SW1261500500DK FJ-SW1261500500DN FJ-SW1261500500UK FJ-SW1261500500UN FJ-SW1261500800DK FJ-SW1261500800DN FJ-SW1261500800UK FJ-SW1261500800UN

page: 1 / 9

안전인증번호: HU10539-15024A

(Certificate No)

접수번호: 20150520 - 0003

(Receipt No)

- 1.기본모델·파생모델의 내용(General Descriptions of Certified Products)
- 1.1 제품의 설명 (Product description)

인증제품의 개요는 다음과 같다.

(Information on certified basic model product is as follow)

구분(Section)	내 용 (Description)
용도 (Normal use)	The apparatus designed to be used for converting AC main voltage to DC low voltage.
내부구조 (Internal construction)	Consisting of the primary and reinforced or double insulated SELV circuit.
외부구조 (External construction)	Provided with direct plug-in and plastic enclosure having min.V-1 flammability.
기타(Others)	Class II.

- 1.2 전기용품의 표시: 전기용품안전 관리법 시행규칙 제15조(안전인증의 표시)에 따라 표시한다. (Marking of KC Mark: Marking shall comply with enforcement rule Article 15 of the Electrical Appliances Safety Control Law)
- 1.3 등록모델 (Registered Models)

구 분		모델명및정격	기본모델과의 차이점 (Difference between basic
(Class)		(Model / Rating)	model and series model)
기본모델 (Basic model)	FJ-SW1261201000DK	100-240 V~,50/60 A; (0/P: 12 Vdc	
파생모델 (Series model)	FJ-SW1260901000UK		Identical except for output rating (9 Vdc) and output type (USB connector)
	FJ-SW1260901000DK		Identical except for output rating (9 Vdc)
	FJ-SW1260901000UN		Identical except for output rating (9 Vdc), output type (US) connector) and its plug type (detachable)
	FJ-SW1260901000DN	1,19	Identical except for output rating (9 Vdc) and its plug type (detachable)
	FJ-SW1260901200UK	10,	Identical except for output rating (9 Vdc, 1.2 A) and outputype (USB connector)
	FJ-SW1260901200DK		Identical except for output rating (9 Vdc, 1.2 A)

page: 2 / 9

안전인증번호: (Certificate No)	HU10539-15024A	접수번호: 20150520 - 0003 (Receipt No)
	FJ-SW1260901200UN	Identical except for output rating (9 Vdc, 1.2 A), output type (USB connector) and its plug type (detachable)
	FJ-SW1260901200DN	Identical except for output rating (9 Vdc, 1.2 A) and its plug type (detachable)
	FJ-SW1260901300UK	Identical except for output rating (9 Vdc, 1.3 A) and output type (USB connector)
	FJ-SW1260901300DK	Identical except for output rating (9 Vdc, 1.3 A)
	FJ-SW1260901300UN	Identical except for output rating (9 Vdc, 1.3 A), output type (USB connector) and its plug type (detachable)
	FJ-SW1260901300DN	Identical except for output rating (9 Vdc, 1.3 A) and its plug type (detachable)
	FJ-SW1260951000UK	Identical except for output rating (9.5 Vdc) and output type (USB connector)
	FJ-SW1260951000DK	Identical except for output rating (9.5 Vdc)
X	FJ-SW1260951000UN	Identical except for output rating (9.5 Vdc), output type (USB connector) and its plug type (detachable)
	FJ-SW1260951000DN	Identical except for output rating (9.5 Vdc) and its plug type (detachable)
	FJ-SW1261001000UK	Identical except for output rating (10 Vdc) and output type (USB connector)
	FJ-SW1261001000DK	Identical except for output rating (10 Vdc)
	FJ-SW1261001000UN	Identical except for output rating (10 Vdc), output type (USB connector) and its plug type (detachable)

page: 3 / 9

안전인증번호: (Certificate No)	HU10539-15024A	접수번호: 20150520 - 0003 (Receipt No)
	FJ-SW1261001000DN	Identical except for output rating (10 Vdc) and its plug type (detachable)
	FJ-SW1261051000UK	Identical except for output rating (10.5 Vdc) and output type (USB connector)
	FJ-SW1261051000DK	Identical except for output rating (10.5 Vdc)
	FJ-SW1261051000UN	Identical except for output rating (10.5 Vdc), output type (USB connector) and its plug type (detachable)
	FJ-SW1261051000DN	Identical except for output rating (10.5 Vdc) and its plug type (detachable)
	FJ-SW1261101000UK	Identical except for output rating (11 Vdc) and output type (USB connector)
	FJ-SW12611010000K	Identical except for output rating (11 Vdc)
	FJ-SW1261101000UN	Identical except for output rating (11 Vdc), output type (USB connector) and its plug type (detachable)
	FJ-SW1261101000DN	Identical except for output rating (11 Vdc) and its plug type (detachable)
	FJ-SW1261151000UK	Identical except for output rating (11.5 Vdc) and output type (USB connector)
	FJ-SW1261151000DK	Identical except for output rating (11.5 Vdc)
	FJ-SW1261151000UN	Identical except for output rating (11.5 Vdc), output type (USB connector) and its plug type (detachable)
	FJ-SW1261151000DN	Identical except for output rating (11.5 Vdc) and its plug type (detachable)

page: 4 / 9

안전인증번호: (Certificate No)	HU10539-15024A	접수번호: 20150520 - 0003 (Receipt No)
	FJ-SW1261200600UK	Identical except for output rating (0.6 A) and output type (USB connector)
	FJ-SW1261200600DK	Identical except for output rating (0.6 A)
	FJ-SW1261200600UN	Identical except for output rating (0.6 A), output type (USB connector) and its plug type (detachable)
	FJ-SW1261200600DN	Identical except for output rating (0.6 A) and its plug type (detachable)
	FJ-SW1261200700UK	Identical except for output rating (0.7 A) and output type (USB connector)
	FJ-SW1261200700DK	Identical except for output rating (0.7 A)
	FJ-SW1261200700UN	Identical except for output rating (0.7 A), output type (USB connector) and its plug type (detachable)
	FJ-SW1261200700DN	Identical except for output rating (0.7 A) and its plug type (detachable)
HIII.	FJ-SW1261200800UK	Identical except for output rating (0.8 A) and output type (USB connector)
	FJ-SW1261200800DK	Identical except for output rating (0.8 A)
	FJ-SW1261200800UN	Identical except for output rating (0.8 A), output type (USB connector) and its plug type (detachable)
	FJ-SW1261200800DN	Identical except for output rating (0.8 A) and its plug type (detachable)
	FJ-SW1261201000UK	Identical except for output type (USB connector)

page: 5 / 9

안전인증번호: (Certificate No)	HU10539-15024A		접수번호: 20150520 (Receipt No)	- 0003
	FJ-SW1261201000UN	(1)	dentical except for outpu JSB connector) and its pl ype (detachable)	t type ug
	FJ-SW1261201000DN		dentical except for its p ype (detachable)	lug
	FJ-SW1261250900UK	ra	dentical except for outpu ating (12.5 Vdc, 0.9 A) a utput type (USB connector	nd
	FJ-SW1261250900DK		dentical except for outpu ating (12.5 Vdc, 0.9 A)	t
	FJ-SW1261250900UN	C. It	dentical except for outpu ating (12.5 Vdc, 0.9 A), ype (USB connector) and i lug type (detachable)	output
	FJ-SW1261250900DN	r	dentical except for outpu ating (12.5 Vdc, 0.9 A) a lug type (detachable)	nd its
	FJ-SW1261500500UK		dentical except for outpu ating (15 Vdc, 0.5 A) and utput type (USB connector	rt I
	FJ-SW1261500500DK	r	dentical except for output ating (15 Vdc, 0.5 A)	ıt
	FJ-SW1261500500UN	r	dentical except for outpu ating (15 Vdc, 0.5 A), ou ype (USB connector) and i lug type (detachable)	itput
*	FJ-SW1261500500DN		dentical except for output ating (15 Vdc, 0.5 A) and lug type (detachable)	it d its
	FJ-SW1261500800UK	r	dentical except for outpu ating (15 Vdc, 0.8 A) and utput type (USB connector	i i
	FJ-SW1261500800DK		dentical except for outpu ating (15 Vdc, 0.8 A)	ut
	FJ-SW1261500800UN	r	dentical except for outpu ating (15 Vdc, 0.8 A), ou ype (USB connector) and i lug type (detachable)	utput

page: 6 / 9

안전인증번호: HU10539-15024A

(Certificate No)

FJ-SW1261500800DN

접수번호: 20150520 - 0003

(Receipt No)

Identical except for output rating (15 Vdc, 0.8 A) and its plug type (detachable)

