



High-Speed Black HDMI Cable with Ethernet. Compact gold-plated connector. Tested to Category 2.

0.5m (1.6ft)

TC 0.5MHDMI/BL EU SAP: 4911595 US SAP: 13557616

1m (3.2ft)

TC 1MHDMI/BL EU SAP: 4911596 US SAP: 13557617

1.5m (4.9ft)

TC 1.5MHDMI/BL EU SAP: 4911597 US SAP: 13557618

2m (6.5ft)

TC 2MHDMI/BL EU SAP: 4911598 US SAP: 13557619

3m (9.8ft)

TC 3MHDMI/BL EU SAP: 4911599 US SAP: 13557620

5m (16.4ft)

TC 5MHDMI/BL EU SAP: 4911600 US SAP: 13557621

10m (32.8ft)

TC 10MHDMI/BL EU SAP: 4911601 US SAP: 13557622

15m (49.2ft)

TC 15MHDMI/BL EU SAP: 4911602 US SAP: 13557623

SPECIFICATIONS

TC 0.5MHDMI/BL Black HDMI Cable 0.5m (1.6ft)

HDMI VERSION

v2.0 (4K @ 60Hz)

BANDWIDTH

340 MHz

SHEATH OUTER DIAMETER

7.3 mm (0.29")

CONDUCTOR THICKNESS

28 AWG (American Wire Gauge)

PRODUCT WEIGHT

0.06 kg (0.13 lb)

PACKAGED WEIGHT

0.11 kg (0.24 lb)

PACKAGED DIMENSIONS

150 mm x 150 mm x 30 mm / 5.9" x 5.9" x 1.2" (length x width x height)

COLOUR

Black

CONNECTORS

GOLD-PLATED

DATA TRANSFER RATE

18 Gbit/s

TYPE OF SHIELDING

Double Shielded

AUDIO RETURN CHANNEL (ARC)

Yes

WARRANTY

Lifetime return-to-base

4K COMPLIANT

HIGH-SPEED (CATEGORY 2) WITH ETHERNET

TC 1MHDMI/BL Black HDMI Cable 1m (3.2ft)

HDMI VERSION

v2.0 (4K @ 60Hz)

BANDWIDTH

340 MHz

SHEATH OUTER DIAMETER

7.3 mm (0.29")

CONDUCTOR THICKNESS

28 AWG (American Wire Gauge)

PRODUCT WEIGHT

0.09 kg (0.2 lb)

PACKAGED WEIGHT

0.14 kg (0.3 lb)

PACKAGED DIMENSIONS

150 mm x 150 mm x 30 mm / 5.9" x 5.9" x 1.2" (length x width x height)

COLOUR

Black

CONNECTORS

GOLD-PLATED

DATA TRANSFER RATE

18 Gbit/s

TYPE OF SHIELDING

Double Shielded

AUDIO RETURN CHANNEL (ARC)

Yes

WARRANTY

Lifetime return-to-base

4K COMPLIANT**HIGH-SPEED (CATEGORY 2) WITH ETHERNET**

TC 1.5MHDMI/BL Black HDMI Cable 1.5m (4.9ft)

HDMI VERSION

v2.0 (4K @ 60Hz)

SHEATH OUTER DIAMETER

7.3 mm (0.29")

CONDUCTOR THICKNESS

28 AWG (American Wire Gauge)

PRODUCT WEIGHT

0.12 kg (0.26 lb)

PACKAGED WEIGHT

0.19 kg (0.42 lb)

PACKAGED DIMENSIONS

160 mm x 160 mm x 45 mm / 6.3" x 6.3" x 1.8" (length x width x height)

COLOR

Black

CONNECTORS

GOLD-PLATED

DATA TRANSFER RATE

18 Gbit/s

BANDWIDTH

340 MHz

TYPE OF SHIELDING

Double Shielded

AUDIO RETURN CHANNEL (ARC)

Yes

4K COMPLIANT**HIGH-SPEED (CATEGORY 2) WITH ETHERNET**

TC 2MHDMI/BL Black HDMI Cable 2m (6.5ft)

HDMI VERSION

v2.0 (4K @ 60Hz)

BANDWIDTH

340 MHz

SHEATH OUTER DIAMETER

7.3 mm (0.29")

CONDUCTOR THICKNESS

28 AWG (American Wire Gauge)

PRODUCT WEIGHT

0.16 kg (0.35 lb)

PACKAGED WEIGHT

0.23 kg (0.51 lb)

PACKAGED DIMENSIONS

160 mm x 160 mm x 45 mm (6.3" x 6.3" x 1.8")

COLOUR

Black

CONNECTORS

GOLD-PLATED

DATA TRANSFER RATE

18 Gbit/s

TYPE OF SHIELDING

Double Shielded

AUDIO RETURN CHANNEL (ARC)

Yes

4K COMPLIANT**HIGH-SPEED (CATEGORY 2) WITH ETHERNET**

TC 3MHDMI/BL Black HDMI Cable 3m (9.8ft)

HDMI VERSION

v2.0 (4K @ 60Hz)

BANDWIDTH

340 MHz

SHEATH OUTER DIAMETER

7.3 mm (0.29")

CONDUCTOR THICKNESS

28 AWG (American Wire Gauge)

PRODUCT WEIGHT

0.22 kg (0.49 lb)

PACKAGED WEIGHT

0.24 kg (0.53 lb)

PACKAGED DIMENSIONS

150 x 50 x 175 mm (5.9" x 1.9" x 6.9")

COLOR

Black

CONNECTORS

GOLD-PLATED

DATA TRANSFER RATE

18 Gbit/s

TYPE OF SHIELDING

Double Shielded

AUDIO RETURN CHANNEL (ARC)

Yes

4K COMPLIANT**HIGH-SPEED (CATEGORY 2) WITH ETHERNET**

TC 5MHDMI/BL Black HDMI Cable 5m (16.4ft)

HDMI VERSION

v2.0 (4K @ 60Hz)

BANDWIDTH

340 MHz

SHEATH OUTER DIAMETER

7.3 mm (0.29")

CONDUCTOR THICKNESS

28 AWG (American Wire Gauge)

PRODUCT WEIGHT

0.36 kg (0.79 lb)

PACKAGED WEIGHT

0.46 kg (1.01 lb)

PACKAGED DIMENSIONS

180 mm x 180 mm x 70 mm / 7.1" x 7.1" x 2.8" (length x width x height)

COLOUR

Black

CONNECTORS

GOLD-PLATED

DATA TRANSFER RATE

18 Gbit/s

TYPE OF SHIELDING

Double Shielded

AUDIO RETURN CHANNEL (ARC)

Yes

4K COMPLIANT**HIGH-SPEED (CATEGORY 2) WITH ETHERNET**

TC 10MHDMI/BL Black HDMI Cable 10m (32.8ft)

HDMI VERSION

v2.0 (4K @ 30Hz)

SHEATH OUTER DIAMETER

8.0 mm (0.31")

CONDUCTOR THICKNESS

26 AWG

PRODUCT WEIGHT

0.72 kg (1.59 lb)

PACKAGED WEIGHT

0.91 kg (2.00 lb)

PACKAGED DIMENSIONS

200 x 90 x 200 mm (7.9" x 3.5" X 7.9")

COLOUR

Black

CONNECTORS

GOLD-PLATED

DATA TRANSFER RATE

18 Gbit/s

BANDWIDTH

340 MHz

TYPE OF SHIELDING

Double Shielded

AUDIO RETURN CHANNEL (ARC)

Yes

4K COMPLIANT**HIGH-SPEED (CATEGORY 2) WITH ETHERNET**

TC 15MHDMI/BL Black HDMI Cable 15m (49.2ft)

HDMI VERSION

v1.4 (4K @ 30Hz)

SHEATH OUTER DIAMETER

9.5 mm (0.37")

CONDUCTOR THICKNESS

24 AWG

PRODUCT WEIGHT

1.74 kg (3.8 lbs)

PACKAGED WEIGHT

1.88 kg (4.1 lbs)

PACKAGED DIMENSIONS

200 mm x 200 mm x 90 mm / 7.87" x 7.87" x 3.54" (length x width x height)

COLOUR

Black

CONNECTORS

GOLD-PLATED

DATA TRANSFER RATE

18 Gbit/s

BANDWIDTH

340 MHz

TYPE OF SHIELDING

Double Shielded

AUDIO RETURN CHANNEL (ARC)

Yes

4K COMPLIANT**HIGH-SPEED (CATEGORY 2) WITH ETHERNET**