



High-Speed White HDMI Cable with Ethernet. Compact gold-plated connector. Tested to Category 2.

**0.5m (1.6ft)** END OF LIFE

TC 0.5MHDMI EU SAP: 3058973 US SAP: 12939552

**1m (3.2ft)**

TC 1MHDMI EU SAP: 3058974 US SAP: 12939589

**1.5m (4.9ft)** END OF LIFE

TC 1.5MHDMI EU SAP: 4500873 US SAP: 13041725

**2m (6.5ft)**

TC 2MHDMI EU SAP: 3265151 US SAP: 12939586

**3m (9.8ft)**

TC2 3MHDMI EU SAP: 3000666 US SAP: 12939521

**5m (16.4ft)**

TC2 5MHDMI EU SAP: 2746863 US SAP: 12939525

**10m (32.8ft)**

TC2 10MHDMI EU SAP: 2746864 US SAP: 12939462

**15m (49.2ft)**

TC2 15MHDMI EU SAP: 2746865 US SAP: 12939465

**20m (65.6ft)**

TC 20MHDMI+ EU SAP: 4842771 US SAP: 13445533

**30m (98.4ft)** END OF LIFE AUGUST 2020

TC 30MHDMI+ EU SAP: 4842772

### SPECIFICATIONS

#### TC 0.5MHDMI White HDMI Cable 0.5m (1.6ft)

**HDMI VERSION**

v2.0 (4K @ 60Hz)

**BANDWIDTH**

340 MHz

**SHEATH OUTER DIAMETER**

7.3 mm (0.29")

**CONDUCTOR THICKNESS**

28 AWG (American Wire Gauge)

**PACKAGED WEIGHT**

0.05 kg (0.11 lb)

**PACKAGED DIMENSIONS**

150 x 150 x 30 mm (5.91" x 5.91" x 1.18")

**CONNECTORS**

GOLD-PLATED

**DATA TRANSFER RATE**

18 Gbit/s

**TYPE OF SHIELDING**

Double Shielded

**AUDIO RETURN CHANNEL (ARC)**

Yes

**4K COMPLIANT**

**HIGH-SPEED (CATEGORY 2) WITH ETHERNET**

## TC 1MHDMI White HDMI Cable 1m (3.2ft)

---

**HDMI VERSION**

v2.0 (4K @ 60Hz)

**BANDWIDTH**

340 MHz

**SHEATH OUTER DIAMETER**

7.3 mm (0.29")

**CONDUCTOR THICKNESS**

28 AWG (American Wire Gauge)

**PACKAGED WEIGHT**

0.08 kg (0.18 lb)

**PACKAGED DIMENSIONS**

150 x 150 x 30 mm (5.91" x 5.91" x 1.18")

**CONNECTORS**

GOLD-PLATED

**DATA TRANSFER RATE**

18 Gbit/s

**TYPE OF SHIELDING**

Double Shielded

**AUDIO RETURN CHANNEL (ARC)**

Yes

**4K COMPLIANT****HIGH-SPEED (CATEGORY 2) WITH ETHERNET**

## TC 1.5MHDMI White HDMI Cable 1.5m (4.9ft)

---

**HDMI VERSION**

v2.0 (4K @ 60Hz)

**SHEATH OUTER DIAMETER**

7.3 mm (0.29")

**CONDUCTOR THICKNESS**

28 AWG (American Wire Gauge)

**PACKAGED WEIGHT**

0.12 kg (0.4lb)

**PACKAGED DIMENSIONS**

160 x 160 x 45 mm (6.3" x 6.3" x 1.8")

**CONNECTORS**

GOLD-PLATED

**DATA TRANSFER RATE**

18 Gbit/s

**BANDWIDTH**

340 MHz

**TYPE OF SHIELDING**

Double Shielded

**AUDIO RETURN CHANNEL (ARC)**

Yes

**4K COMPLIANT****HIGH-SPEED (CATEGORY 2) WITH ETHERNET**

## TC 2MHDMI White HDMI Cable 2m (6.5ft)

---

**HDMI VERSION**

v2.0 (4K @ 60Hz)

**BANDWIDTH**

18 Gbit/s

**SHEATH OUTER DIAMETER**

7.3 mm (0.29")

**CONDUCTOR THICKNESS**

28 AWG (American Wire Gauge)

**PACKAGED WEIGHT**

0.18 kg (0.35 lb)

**PACKAGED DIMENSIONS**

160 x 160 x 45 mm (6.3" x 6.3" x 1.8")

**CONNECTORS**

GOLD-PLATED

**DATA TRANSFER RATE**

18 Gbit/s

**TYPE OF SHIELDING**

Double Shielded

**AUDIO RETURN CHANNEL (ARC)**

Yes

**4K COMPLIANT****HIGH-SPEED (CATEGORY 2) WITH ETHERNET**

## TC2 3MHDMI White HDMI Cable 3m (9.8ft)

---

**HDMI VERSION**

v2.0 (4K @ 60Hz)

**BANDWIDTH**

340 MHz

**SHEATH OUTER DIAMETER**

7.3 mm (0.29")

**CONDUCTOR THICKNESS**

28 AWG (American Wire Gauge)

**PACKAGED WEIGHT**

0.20 kg (0.44 lb)

**PACKAGED DIMENSIONS**

180 x 180 x 70 mm (7.1" x 7.1" x 2.8")

**CONNECTORS**

GOLD-PLATED

**DATA TRANSFER RATE**

18 Gbit/s

**TYPE OF SHIELDING**

Double Shielded

**AUDIO RETURN CHANNEL (ARC)**

Yes

**4K COMPLIANT****HIGH-SPEED (CATEGORY 2) WITH ETHERNET**

## TC2 5MHDMI White HDMI Cable 5m (16.4ft)

---

**HDMI VERSION**

v2.0 (4K @ 60Hz)

**BANDWIDTH**

340 MHz

**SHEATH OUTER DIAMETER**

7.3 mm (0.29")

**CONDUCTOR THICKNESS**

28 AWG (American Wire Gauge)

**PACKAGED WEIGHT**

0.32 kg (0.71 lb)

**PACKAGED DIMENSIONS**

180 x 180 x 70 mm (7.1" x 7.1" x 2.8")

**CONNECTORS**

GOLD-PLATED

**DATA TRANSFER RATE**

18 Gbit/s

**TYPE OF SHIELDING**

Double Shielded

**AUDIO RETURN CHANNEL (ARC)**

Yes

**4K COMPLIANT****HIGH-SPEED (CATEGORY 2) WITH ETHERNET**

## TC2 10MHDMI White HDMI Cable 10m (32.8ft)

---

**HDMI VERSION**

v2.0 (4K @ 30Hz)

**SHEATH OUTER DIAMETER**

8.0 mm (0.31")

**CONDUCTOR THICKNESS**

26 AWG

**PACKAGED WEIGHT**

0.91 kg (2.00 lb)

**PACKAGED DIMENSIONS**

200 x 90 x 200 mm (7.9" x 3.5" X 7.9")

**CONNECTORS**

GOLD-PLATED

**DATA TRANSFER RATE**

18 Gbit/s

**BANDWIDTH**

340 MHz

**TYPE OF SHIELDING**

Double Shielded

**AUDIO RETURN CHANNEL (ARC)**

Yes

**4K COMPLIANT****HIGH-SPEED (CATEGORY 2) WITH ETHERNET**

## TC2 15MHDMI White HDMI Cable 15m (49.2ft)

---

**HDMI VERSION**

v1.4 (4K @ 30Hz)

**SHEATH OUTER DIAMETER**

9.5 mm (0.37")

**CONDUCTOR THICKNESS**

24 AWG

**PACKAGED WEIGHT**

1.50 kg (3.3 lb)

**PACKAGED DIMENSIONS**

250 x 250 x 100 mm (9.84" x 9.84" x 3.94")

**CONNECTORS**

GOLD-PLATED

**DATA TRANSFER RATE**

18 Gbit/s

**BANDWIDTH**

340 MHz

**TYPE OF SHIELDING**

Double Shielded

**AUDIO RETURN CHANNEL (ARC)**

Yes

**4K COMPLIANT****HIGH-SPEED (CATEGORY 2) WITH ETHERNET**

## TC 20MHDMI+ White HDMI Cable 20m (65.6ft) with active booster

---

**HDMI VERSION**

v1.4 (4K @ 30Hz)

**SHEATH OUTER DIAMETER**

9.0 mm (0.36")

**CONDUCTOR THICKNESS**

24+28 AWG

**PACKAGED WEIGHT**

2.01kg (4.42 lb)

**PACKAGED DIMENSIONS**

230 x 140 x 230 mm (9.1" x 5.5" X 9.1")

**4K COMPLIANT****HIGH-SPEED (CATEGORY 2) WITH ETHERNET****GOLD-PLATED CONNECTORS****ACTIVE BOOSTER INLINE**

## TC 30MHDMI+ White HDMI Cable 30m (98.4ft) with active booster

---

**HDMI VERSION**

v1.4 (4K @ 30Hz)

**SHEATH OUTER DIAMETER**

9.0 mm (0.36")

**CONDUCTOR THICKNESS**

24+28 AWG

**PACKAGED WEIGHT**

3.0 kg (6.6 lb)

**PACKAGED DIMENSIONS**

240 mm x 240 mm x 150 mm (9.5" x 9.5" x 5.9")

**4K COMPLIANT****HIGH-SPEED (CATEGORY 2) WITH ETHERNET****GOLD-PLATED CONNECTORS****ACTIVE BOOSTER INLINE**